| 934 | ESCC |
|-----|-------------|
| | |

Component Title: Capacitors, Fixed, Chip, Ceramic Dielectric, type I, based on types

Page 1

| Sar. | 0805, 1206, 1210, 1812, 2220 Apr | | | | | | Appl. N | 0. | | | | | | |
|---|----------------------------------|-----------------------|----------------------|--|--|--------------------------|-------------------------------------|---------|-----------|---|--|---|-------------------|----|
| 2 300 | 1 | | | Executiv | e Member: | r: CNES Date: 02/11/2023 | | | | 109R rev | /. 1 | | | |
| Componen | nts (includ | ing series | and fam | ilies) subr | nitted for E | Exten | sion of Qual | lificat | tion Ap | prov | al: | | | 1 |
| COMPON NO. | NENT | VAR | R | ANGE OF | COM | PONENTS | | | SEC |) | TEST VEHICLE / S | COMPONI | | |
| 3009 003 | | 03, 06 | | See b | See box 14 0805 - 30090030622C0JG - 3009003060102FE - 3009003061001KE - 3009003061001KE - 3009003061500KE 3009003068200KE 1210 - 3009004060103JC | | | | | 3009033061102FE 3009003060102FE 3009003061001KE 3009003061500KE 3009003068200KE | Oven qualificati Oven qualificati Oven qualificati | on | | |
| 3009 005 | | 03, 06 | | | | | | İ | 1812 | | | | 51011 qualificati | |
| 3009 006 | i | 03, 06 | | 1 | | | | i | 2220 | | | 3009006063302KE | Oven qualificati | on |
| 3009 022 | - 1 | 03, 06 | | 1 | | | | ĺ | 1206 | | | 3009022060472JC | | |
| Comp AVX France A division of | | | | Avenu | ue du Color | nel Pra | ufacturing Pla at NAIRE – Fra | | | 3 | Date: | of original qualification appro : 01/02/1983 ficate Ref No. 109 | oval: | 4 |
| | | | | 5 | = | | | | | 6 | | | | 7 |
| ESCC Spec Maintenance Generic: Detail(s): | | cation test Issue: | 8 7 7 7 | 15) New oven qualification: see box 22 Deviation from current Specifications: | | | | | 2 | | | | | |
| Summary o | f procurer | ment or e | guivalent | test result | ts during c | urren | nt validity ne | riod | in sunn | ort o | of this s | application (those to ESCC lis | tad firet) | 8 |
| Project | | | sting Leve | | LVT | , a , i , o , i | le validity po | | te code | 0110 | Quantity Delivered | | | |
| ALTER AIRBUS THALES TTI ARROW COMPUTAD | OORAS | | | | | | | | | | : | 2021 : 16051 2022 : 21569 2023 (until 04/2023) : 6334 | | |
| | | | | | | | i | | | | | | | |
| PID changes | s since star | t of qualifi | cation | | | 9 | Current PID | Veri | fied by: | | | L. Fontaine, CNES | | 10 |
| None | | | | | - | | | | | | | ame of Excutive | ' | |
| Minor* | | | | | | | Ref No: | 1G2 | 2 PID 100 | 0 221 | | presentative | | |
| Major* | _ | Provide de | tails in bo | x: | | - 1 | Issue: | 22 | | | | Date | 17/09/1981 | |
| 25 | | 19 | | | | | Rev Date: | 09/1 | 10/2023 | | | | - | |
| Current Manu | ufacturing | facilities s | urveyed b | y: | | | | | ot, CNES | 35 | on_ | 12/12/201 | 8 | 11 |
| Catiofactor | | V | | | | ame o | f Executive F | kepre | sentative | e) | | (Date) | | |
| Satisfactory: | | Yes | ⊠ | No | | | Explain | | | | | | | |
| Report Refer | ence: | | /DSO/AQ 022759, 1 | /CQ- 8/12/2018 | | | | | | | | | | |



Component title:

Capacitors, Fixed, Chip, Ceramic Dielectric, type I, based on types 0805, 1206, 1210, 1812, 2220

Date: 02/11/2023

 \boxtimes

CNES Executive Member:

Page 2 Appl. No.

109R rev. 1 12

| Failure Ar | alveie | DPA | NCCS | available: |
|------------|--------|-----|------|------------|

Yes

No

(Supply data)

13

Ref. No's and purposes:

The undersigned hereby certifies on behalf of the ESCC Executive - that the above information is correct; that the appropriate documentation has been evaluated; - that full compliance to all ESCC requirements is evidence (except as stated in box 15;) - that the reports and data are available at the ESCC Executive and therefore applies on behalf of CNES as the responsible Executive Member for ESCC qualification status to be extended to the component(s) listed herein.

Date:

02/11/2023

Gianandrea Quadri G. QUADRI, CNES

(Signature of the Executive Coordinator)

Continuation of Boxes above:

14

| Style | Model | Detail Spec. | Variants | Capacitance Range (pF) | Rated Volt. (V) | Tolerance (±%) | TC (ppm/°C) |
|-------|-------|--------------|----------|---|--------------------------|--------------------------------------|-------------|
| 0805 | A_12C | 3009/003 | 03, 06 | 4.7 to 9.1 10 to 1 500 1800 to 2200 | 50, 100 50, 100 50 | 0.5 pF 1, 2, 5, 10 1, 2, 5, 10 | ± 30 |
| 1206 | A_20C | 3009/022 | 03, 06 | 10 to 3 900 4 700 | 50, 100 50 | 1, 2, 5, 10 | ± 30 |
| 1210 | A_13C | 3009/004 | 03, 06 | 22 to 6 800 8 200 to 10 000 | 50, 100 50 | 1, 2, 5, 10 | ± 30 |
| 1812 | A 14C | 3009/005 | 03, 06 | 100 to 15 000 | 50, 100 | 1, 2, 5, 10 | ± 30 |
| 2220 | A_15C | 3009/006 | 03, 06 | 470 to 33 000 | 50, 100 | 1, 2, 5, 10 | ± 30 |

REV. 1 refers to insertion in the PID to the installation of a new equipment in the PID and its qualification with dedicated test vehicles (see annex 2 for more details)

| ESC(| |
|------|--|
| | |

Component title:

Capacitors, Fixed, Chip, Ceramic Dielectric, type I, based on types 0805, 1206, 1210, 1812, 2220

Page 3 Appl. No.

| | | Executive Member: | CNES | Date: | 02/11/2023 | 109R rev. 1 | |
|-------------------------------|-----------------------------------|----------------------|----------------------------------|----------------|----------------|-------------|----|
| Non compli | ance to ESCC requirements: | | | | T OF A | 4 | 15 |
| No.: | Specification | | Paragraph | | Non complianc | e | |
| | Geomodien | | Talograph | | Non compliance | | |
| Additional to noncomplia | asks required to achieve full con | npliance for ESCC qu | ualification or rationale for ac | ceptability of | | 1 | 16 |
| Полозира | | | | | | | |
| Executive N | lanager Disposition | | | | | 1 | 7 |
| Application / Action / Ren | | lo 🗆 | | | | | |
| Date: | | | | - | B, W.C. | t Assurance | |

and Safety Department



Capacitors, Fixed, Chip, Ceramic Dielectric, type I, based on $\,$ types 0805, 1206, 1210, 1812, 2220 $\,$ Component Title:

Date: 02/11/2023

Page 4 Appl. No. 109R rev. 1

ANNEX 1: LIST OF TESTS DONE TO SUPPORT EXTENSION OF QUALIFICATION

Tests conducted in compliance with:

ESCC 3009 generic specification; Chart V (for ESCC/QPL parts);

Or PID-TFD (for ESCC/QML parts)

Tests vehicle identification/description:

3009004060103JC DC2140 30090030622C0JG DC2149 3009003060102FE DC2201 3009003060102FE DC2129 3009004060472FC DC2126 3009022060472JC DC2139

New oven qualification: 3009003061001KE DC2130 3009003061500KE DC2125 3009003068200KE DC2205 3009006063302KE DC2219 3009004066800KG DC2231

Executive Member:

Detail Specification reference:

3009/003/004/005/006

| Chart F4 | Test | Tick when done | Conditions | Date Code | Tested Qty | No. of Rejects | Comments if not performed. Comments on Rejection |
|-------------------------------------|--|----------------------|----------------------|--|--|-------------------|--|
| dr | Mounting | ⊠ | IEC 60384-1 | 2140 2149 2201 2129 2126 2139 | 25 25 25 25 25 25 25 | 0 | |
| chanical Subgrou | Rapid Change of Temperature | × | IEC 60068-2-14 | 2140 2149 2201 2129 2126 2139 | 25 25 25 25 25 25 25 | 0 | |
| Environmental / Mechanical Subgroup | Steady State Humidity | × | ESCC 3009, Para. 8.2 | 2140 2149 2201 2129 2126 2139 | 25 25 25 25 25 25 25 | 0 | 1 000 hours |
| Ē | Visual Inspection | × | ESCC 3009, Para. 8.5 | 2140 2149 2201 2129 2126 2139 | 25 25 25 25 25 25 25 | 0 | |
| dı | Mounting | × | IEC 60384-1 | 2140 2149 2201 2129 2126 2139 | 25 25 25 25 25 25 25 | 0 | |
| Endurance Subgroup | Operating Life | × | ESCC 3009, Para. 8.9 | 2140 2149 2201 2129 2126 2139 | 25 25 25 25 25 25 25 | 0 | 2 000 hours |
| Ш | Electrical Measurements during Endurance Testing | × | ESCC 3009, Para. 8.9 | 2140 2149 2201 2129 2126 2139 | 25 25 25 25 25 25 25 | 0 | |

18

| | Mounting | ⊠ | IEC 60384-1 | 2140 2149 2201 2129 2126 2139 | 6 6 6 6 6 | 0 | Before Robustness of Terminations |
|---------------------------------------|--|---|------------------------|--|----------------------------------|------------|---|
| group as.) | Insulation resistance at +125°C | ⊠ | ESCC 3009, Para 8.10 | 2140 2149 2201 2126 2139 | 6 6 6 6 | 0 | |
| Electrical Subgroup (Elect. Meas.) | Temperature Coefficient (Type I) | ⊠ | ESCC 3009, Para. 8.10 | 2140 2201 2126 2139 | 6 6 6 | 0 | |
| Ü | Temperature Characteristic (Type II) | | ESCC 3009, Para. 8.10 | - | - | e - | Not Applicable |
| | Robustness of Terminations | × | ESCC 3009, Para 8.7 | 2140 2149 2201 2129 2126 2139 | 6 6 6 6 6 | 0 | |
| Assembly Capability Subgroup | Solderability | ⊠ | IEC 60068-2-58 Test Td | 2140 2149 2201 2129 2126 2139 | 10 10 10 10 10 10 | 0 | |
| Assemb | Permanence of Marking | | ESCC 24800 | - | - | - | Not Applicable |
| | Rapid Change of Temperature | × | IEC 60068-2-14 | 2130 2125 2205 2219 2231 | 25 25 25 25 25 25 | 0 | New oven qualification – see report Rapport d'éval et de qualif four fixe-signCNES.pdf |
| Additional Tests | Steady State Humidity | ⊠ | ESCC 3009, Para. 8.2 | 2130 2125 2205 2219 2231 | 25 25 25 25 25 25 | 0 | 1 000 hours – new oven qualification – see report Rapport d'éval et de qualif four fixe-signCNES.pdf |
| Addition | Operating Life | ⊠ | ESCC 3009, Para. 8.9 | 2130 2125 2205 2219 2231 | 25 25 25 25 25 25 | 0 | 2 000 hours – new oven qualification – see report Rapport d'éval et de qualif four fixe-signCNES.pdf |
| | Insulation resistance at +25°C and +125°C | ⊠ | ESCC 3009, Para 8.10 | 2130 2125 2205 2219 2231 | 25 25 25 25 25 25 | 0 | New oven qualification – see report Rapport d'éval et de qualif four fixe-signCNES.pdf |



Capacitors, Fixed, Chip, Ceramic Dielectric, type I, based on types 0805, 1206, 1210, 1812, 2220

Component title:

Executive Member: CNES Date: 02/11/2023

Page 6 Appl. No.

109R rev. 1

NOTES ON THE COMPLETION OF THE APPLICATION FORM FOR ESCC QUALIFICATION EXTENSION APPROVAL

| ENTRIES | |
|-------------------------|---|
| ENTRIES Form heading | shall indicate: - the title of the component as given in its detail specification or the name of the series, family; - the Executive Member; - the entering date; - the certificate number and its sequential suffix. |
| Box 1 | shall provide details given in the table; in particular there shall be listed: - the variants or range of variants; - the range of components (the ESCC code is recommended to indicate the values or values range, the tolerance, the voltage, etc); the designation given in the detail specification as 'base on'; - under Test Vehicle enter either an ESCC code or the specific characteristic capable of identifying the component tested (e.g., voltage of coil for a relay); - under component similar enter a cross if relevant. |
| Box 2; 3 and 4 | As per QPL entry; otherwise, an explanation of the changes must be supplied. |
| Box 5 | Will show the ESCC Generic and Detail specifications, including issue number and revision letter, current at the time the tests reported were performed. If the specifications are different from those current on the date of the application, see Box 6. |
| Box 6 | Will show the deviations from the Generic and Detail Specifications listed in Box 5, in particular deviations from testing. In case of deviations this must be listed in Box 15. In case the referenced specification in Box 5 have currently a different issue and/or revision indicate also whether the test data deviates or not from such current documents. |
| Box 7 | Must reference the report(s) supplied in support of the application. |
| Box 8 | Should provide the details of procurement to the full ESCC System, documentation of all of which should already have been delivered to the ESCC Executive under the terms of the relevant Generic Specification. An appropriate table has been drawn in this box. |
| Box 9 | If the PID evolved after the Original Qualification or after the last Extension of Qualification, adequate details of such evolution shall be provided together with the reasons for the changes. Major changes shall be clearly marked. |
| Box 10 | Identify the current PID issue status, date and actual date of verification. The date of verification of the current PID should be arranged as close as possible to the required date of extension. |
| Box 11 | This box can be completed only after a physical visit to the plant to confirm that no unexplained changes occurred and that the practices, procedures, material, etc. used in manufacturing the components are as described in the PID. This survey shall be carried out in accordance with the requirements of ESCC Basic Specification No. 20200 and its findings shall be recorded. |
| Box 12 | Provide details of, or reference to, any Destructive Physical Analysis (DPA) and Failure Analysis reports as well as any Nonconformance(s) (NCCS) occurred during the qualification validity period, stating if established corrective action have produced satisfactory results. |
| Box 13 | Enter only the name of the Executive Member (i.e., CNES, DLR, ESTEC, etc.) and the signature of the responsible Executive Coordinator. |
| Box 14 | To be used when there is a need to expand any of the boxes from 1 through 12. Identify box affected and reference the Box 14 in the relevant Box. Box 14 can be broken into 14a, 14b, etc. if several boxes have to be expanded. |
| Box 15 | Fill in Table as requested. |
| Box 16 | Any additional action deemed necessary by the Executive Member to bring the submitted data to a standard likely to be accepted by the ESCC Executive should be listed herein or the reason(s) to accept the noncompliance. |
| Box 17 | All Executive Manager recommendations on the application itself, special conditions or restrictions, modifications of the QPL or QML entry, letters to the manufacturer, etc. shall be entered clearly in Box 19, signed by the representative for ESA, and dated. |
| Box 18 | Fill in Table as requested. |
| Box 19 | Confidential Details of PID changes including those of a confidential nature, shall be provided. |
| Box 20 | State noncompliance with reference to specification(s) and paragraph(s). To simplify reference in Box 16 each nonconformance shall be sequentially numbered. If relevant state 'None'. |
| Box 21 | Any additional action deemed necessary by the Executive Member to bring the submitted data to a standard likely to be accepted by the ESCC Executive should be listed herein or the reason(s) to accept the noncompliance. |
| Box 22 | Additional Comments. |
| | |