

Component Title:

CONNECTORS, ELECTRICAL, CRIMP CONTACTS, SINGLE-IN-LINE, MICROMINIATURE, BASED ON TYPE MTB

Page 1 Appl. No.

A STATE OF THE PARTY OF THE PAR		Executive M	ember:	CNES			Date: 03/11/2023		141S
Components (includi	ing series and families)	submitted fo	r Extension	of Qualification	Approval:				1
ESCC COMPONENT NO.	VARIANTS RANGE OF CO			MPONENTS	DNENTS BASED ON		TEST VEHICLE / S	COMPO	
3401/031	01 and 02	Non remorements AWG 26, AWG 28, AWG 25, Uninsulat 2.5A Solder bu	ovable crim son type : , ESCC 390 , ESCC 390 ted rigid win ucket 2.5A g Temperati	11 013 02, 2.5A 11 013 01, 1.5A re bent PCB	мтв		See test report	MDM	
Component M C&K Connect	_	Location of Manufacturing Plant(s) 3 2 rue Berthollet 39105 DOLE Cedex France				Date of original qualification approval: Date: 10/10/1986			
						Cert	ficate Ref No. 141		
ESCC Specifications Maintenance of quali Generic: 3401	used:				Qualification Extension Report reference and date: PV D230154C 24/03/2023 (connectors test report) PV D230152C 24/03/2023 (contacts test report)				
Detail(s): 3401/03	1000	Deviation from current Specifications: No ⊠ Yes □ (Supply details)				•	•		
Summary of procure	ment or equivalent test	results durin	g current va	alidity period in s	support of this ap	plication	on (those to ESCC listed f	irst)	8
Project Name See ventes2021_2022_20 3.xls	Testing Level		LAT		Date code		Quantity	Delivered	
PID changes since start of qualification None Minart Signature None None None None None None None None None None None None None None None None None None None None No				Current PID	Verified by: CS-FR029		Nouals François, CN lame of Excutive Represe		10
Minor* ⊠ Major* □	*Provide details in box	c		Issue: Rev Date:	2 rev Q 01/09/2023		Date:	15/09/20	
Current Manufacturing facilities surveyed by:				Nouals Fran		or		/06/2023 (Date)	11
Satisfactory:	Yes ⊠	No	□ Exp	blain					
Report Reference:	CRIM du 15/	09/21							

ESCC

APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL

Component title:

CONNECTORS, ELECTRICAL, CRIMP CONTACTS, SINGLE-IN-LINE, MICROMINIATURE, BASED ON TYPE MTB

Page 2 Appl. No.

	Executive Membe	r: CNES		Date:	03/11/2023	141S
ailure Analysis, DPA, NCCS a	available: Yes	□ No	⊠ (Suppl	v data)		7
mure Analysis, DPA, NCCS a	avallable. res		⊠ (Suppl	y data)		
f. No's and purposes:						
e undersigned hereby certifies on be t the appropriate documentation has	been evaluated; - that t	full compliance	to all ESCC requir	ements is evidend	ce	
cept as stated in box 15;) - that the r IES as the responsible Executive Me	eports and data are ava mber for ESCC qualific	ailable at the ES ation status to b	CC Executive and e extended to the	therefore applies component(s) list	ed herein.	
te: 03/11/2023					Gianandrea G.QUADRI	Quadri
tc. 03/11/2023				(S	gnature of the Executive	Coordinator)
ntinuation of Boxes above:						

E	SCC
100	

Component title:

CONNECTORS, ELECTRICAL, CRIMP CONTACTS, SINGLE-IN-LINE, MICROMINIATURE, BASED ON TYPE MTB

Page 3 Appl. No.

Executive Member: CNES

		Executive Member:	CNES	Date: 03/11/2023	141	IS
Non complia	nce to ESCC requirements:					15
No.:	Specification		Paragraph	Non compliand		
Additional too					=	
noncompliand	ks required to achieve full com e:	pliance for ESCC qua	lification or rationale for acce	eptability of		16
xecutive Man	nager Disposition					17
Application Ap Action / Remar		0 0				
						٠
ate:				3.21		
				B. Schade: Head of the Product	Assurance	

and Safety Department



Component Title:

CONNECTORS, ELECTRICAL, CRIMP CONTACTS, SINGLE-INLINE, MICROMINIATURE, BASED ON TYPE MTB

03/11/2023

Page 4 Appl. No.

Executive Member:

Date:

141S

18

ANNEX 1: LIST OF TESTS DONE TO SUPPORT EXTENSION OF QUALIFICATION

Tests conducted in compliance with:

ESCC 3401 generic specification; Chart V (for ESCC/QPL parts); Or PID-TFD (for ESCC/QML parts)

Tests vehicle identification/description:

MTB1 6PFR112, MTB1 6SFR116D1, MTB1 18PFR116D1, MTB1 18SFR164	Environmental and Mechanical Subgroup				
MTB1 6PFR112, MTB1 6SFR116D1, MTB1	Endurance Subgroup				

Detail Specification reference:

3401/031

Chart V	Test	Tick when done	Conditions	Date Code	Tested Qty	No. of Rejects	Comments if not performed. Comments on Rejection
Environmental and Mechanical Subgroup	Wiring	\boxtimes	ESCC 3401 Para. 9.10	2302	4	0	
	Climatic Sequence	\boxtimes	ESCC 3401 Para. 9.13	2302	4	0	
	Permanence of Marking		ESCC 24800	2302	4	0	
	Corrosion	\boxtimes	IEC Publication No. 68-2-11	2302	4	0	
Mech	Seal Test		ESCC 3401 Para. 9.9				Not applicable
	Plating Thickness	\boxtimes	ESCC 3401 Para. 5.2.3	2302	4	0	
Endurance Subgroups	Wiring	\boxtimes	ESCC 3401 Para. 9.10	2302	4	0	
	Rapid change of Temperature	\boxtimes	ESCC 3401 Para. 9.16	2302	4	0	
	Contact Retention	×	ESCC 3401 Para. 9.17	2302	7 cts		
	Maintenance Ageing		ESCC 3401 Para. 9.27	2302		0	Not applicable
	Endurance	⊠	ESCC 3401 Para. 9.18	2302	4	0	
	Seal Test		ESCC 3401 Para. 9.9	2302			Not applicable
	Joint Stength	×	ESCC 3401 Para. 9.15	2302	4	0	
	Engage/Separ. Forces	×	ESCC 3401 Para. 9.28	2302	10	0	
	Oversize Pin Exclusion		ESCC 3401 Para. 9.29	2302			Not applicable
	Probe Damage		IEC Publication No. 512-8	2302			Not applicable
a						1	
Additional Tests							
Add							



Component title:

CONNECTORS, ELECTRICAL, CRIMP CONTACTS, SINGLE-IN-LINE, MICROMINIATURE, BASED ON TYPE MTB

Executive Member:

CNES

Appl. No. 1418

Page 6

NOTES ON THE COMPLETION OF THE APPLICATION FORM FOR ESCC QUALIFICATION EXTENSION APPROVAL

ENTRIES Form heading	shall indicate: - the title of the component as given in its detail specification or the name of the series, family; - the Executive Member; - the entering date; - the certificate number and its sequential suffix.
Box 1	shall provide details given in the table; in particular there shall be listed: - the variants or range of variants; - the range of components (the ESCC code is recommended to indicate the values or values range, the tolerance, the voltage, etc); the designation given in the detail specification as 'base on'; - under Test Vehicle enter either an ESCC code or the specific characteristic capable of identifying the component tested (e.g., voltage of coil for a relay); - under component similar enter a cross if relevant.
Box 2; 3 and 4	As per QPL entry; otherwise, an explanation of the changes must be supplied.
Box 5	Will show the ESCC Generic and Detail specifications, including issue number and revision letter, current at the time the tests reported were performed. If the specifications are different from those current on the date of the application, see Box 6.
Box 6	Will show the deviations from the Generic and Detail Specifications listed in Box 5, in particular deviations from testing. In case of deviations this must be listed in Box 15. In case the referenced specification in Box 5 have currently a different issue and/or revision indicate also whether the test data deviates or not from such current documents.
Box 7	Must reference the report(s) supplied in support of the application.
Box 8	Should provide the details of procurement to the full ESCC System, documentation of all of which should already have been delivered to the ESCC Executive under the terms of the relevant Generic Specification. An appropriate table has been drawn in this box.
Box 9	If the PID evolved after the Original Qualification or after the last Extension of Qualification, adequate details of such evolution shall be provided together with the reasons for the changes. Major changes shall be clearly marked.
Box 10	Identify the current PID issue status, date and actual date of verification. The date of verification of the current PID should be arranged as close as possible to the required date of extension.
Box 11	This box can be completed only after a physical visit to the plant to confirm that no unexplained changes occurred and that the practices, procedures, material, etc. used in manufacturing the components are as described in the PID. This survey shall be carried out in accordance with the requirements of ESCC Basic Specification No. 20200 and its findings shall be recorded.
Box 12	Provide details of, or reference to, any Destructive Physical Analysis (DPA) and Failure Analysis reports as well as any Nonconformance(s) (NCCS) occurred during the qualification validity period, stating if established corrective action have produced satisfactory results.
Box 13	Enter only the name of the Executive Member (i.e., CNES, DLR, ESTEC, etc.) and the signature of the responsible Executive Coordinator.
Box 14	To be used when there is a need to expand any of the boxes from 1 through 12. Identify box affected and reference the Box 14 in the relevant Box. Box 14 can be broken into 14a, 14b, etc. if several boxes have to be expanded.
Box 15	Fill in Table as requested.
Box 16	Any additional action deemed necessary by the Executive Member to bring the submitted data to a standard likely to be accepted by the ESCC Executive should be listed herein or the reason(s) to accept the noncompliance.
Box 17	All Executive Manager recommendations on the application itself, special conditions or restrictions, modifications of the QPL or QML entry, letters to the manufacturer, etc. shall be entered clearly in Box 19, signed by the representative for ESA, and dated.
Box 18	Fill in Table as requested.
Box 19	Confidential Details of PID changes including those of a confidential nature, shall be provided.
Box 20	State noncompliance with reference to specification(s) and paragraph(s). To simplify reference in Box 16 each nonconformance shall be sequentially numbered. If relevant state 'None'.
Box 21	Any additional action deemed necessary by the Executive Member to bring the submitted data to a standard likely to be accepted by the ESCC Executive should be listed herein or the reason(s) to accept the noncompliance.
Box 22	Additional Comments.