



**APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL**

Component Title: Capacitors, Leadless Surface Mounted, Tantalum, Solid Electrolyte, enclosed anode connection, based on type TAJ  
 Executive Member: ESA Date: 22/02/2024

Page 1  
 Appl. No. 196L

Components (including series and families) submitted for Extension of Qualification Approval: 1

ESCC COMPONENT NO.	VARIANTS	RANGE OF COMPONENTS	BASED ON	TEST VEHICLE / S	COMPONENT SIMILAR
3012/001	01 A – G16	ESCC 3012/001 Table 3	TAJ	See box 14	All other variants and values
	02 B – G16	0,1 µF – 220 µF, 4 V up to 50V			
	13 C – P17				
	14 D – P17				
	17 E – P17				

Component Manufacturer KYOCERA AVX Components s.r.o.	2	Location of Manufacturing Plant(s) Dvorakova 328 Lanskroun Czech Republic	3	Date of original qualification approval: Date: 01/06/1993  Certificate Ref No. 196	4
---	---	--	---	---	---

ESCC Specifications used for Maintenance of qualification testing: Generic: 3012 Issue: 005 Detail(s): 3012/001 Issue: 009	5	Deviations to LVT testing and Detail Specification used: No <input checked="" type="checkbox"/> Yes <input type="checkbox"/> (supply details in Box 15)  Deviation from current Specifications: No <input checked="" type="checkbox"/> Yes <input type="checkbox"/> (Supply details)	6	Qualification Extension Report reference and date: "ESA Extension of Valid Qualification, Customer Information Package", 2024_TAJ_196_requalification.pdf, February 2024	7
--	---	--	---	--	---

Summary of procurement or equivalent test results during current validity period in support of this application (those to ESCC listed first) 8

Project Name	Testing Level	LAT	Date code	Quantity Delivered
See box 22				

PID changes since start of qualification None <input type="checkbox"/> Minor* <input checked="" type="checkbox"/> Major* <input type="checkbox"/>  *Provide details in box:  New issue of PID100/001 Proposal has been sent to ESA before the extension of the qualification approval. Changes: • New Company name • ESCC Documents update • Production Flow Chart update • New specification ESCC 20400 has been added • Deviation updated based on ESCC 3012/001 issue 9	9	Current PID Verified by: <u>D. Lacombe, ESA</u> Name of Executive Representative Ref No: Ad1) General PID – PID100 – no changes Ad2) Detailed PID for TAJ – PID100/001 Issue: Ad1) 008 + Ad2) 005 Date: Ad1) 2/2023 Ad2) 7/2023 Rev Date: 22/02/2024	10
---	---	--	----

Current Manufacturing facilities surveyed by: <u>F. Martinez, ESA</u> on <u>23/06/2015</u> (Name of Executive Representative) (Date)	11
Satisfactory: Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Explain	
Report Reference: <u>AVXLAN-AUD-2015 v2</u>	



APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL

Component title: Capacitors, Leadless Surface Mounted, Tantalum, Solid Electrolyte, enclosed anode connection, based on type TAJ

Executive Member: ESA

Date: 22/02/2024

Page 2

Appl. No.

196L

12

Failure Analysis, DPA, NCCS available: Yes  No  (Supply data)

Ref. No's and purposes:

13

The undersigned hereby certifies on behalf of the ESCC Executive - that the above information is correct; - that the appropriate documentation has been evaluated; - that full compliance to all ESCC requirements is evidence (except as stated in box 15;) - that the reports and data are available at the ESCC Executive and therefore applies on behalf of ESA as the responsible Executive Member for ESCC qualification status to be extended to the component(s) listed herein.

Date: 26/02/2024

Denis  
Lacombe

Digitally signed by  
Denis Lacombe  
Date: 2024.02.28  
16:17:17 +01'00' (Signature of the Executive Coordinator)

14

Continuation of Boxes above:

Selection of codes was based on:

- Coverage of different case sizes
- Coverage wide range of voltage
- Coverage different capacitances and used powders
- Purchased units from last re-qualification

Selected codes:

A 1/20 - 301200101105KD  
B 10/10 - 301200102106KA  
C 4,7/35 - 301200113475KV  
D 3,3/50 - 301200114335KT  
E 100/16 - 301200117107KC



APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL

Component title: Capacitors, Leadless Surface Mounted, Tantalum, Solid Electrolyte, enclosed anode connection, based on type TAJ

Executive Member: ESA

Date: 22/02/2024

Page 3

Appl. No.

196L

Non compliance to ESCC requirements:

15

No.:	Specification	Paragraph	Non compliance

Additional tasks required to achieve full compliance for ESCC qualification or rationale for acceptability of noncompliance:

16

Executive Manager Disposition

17

Application Approval: Yes  No

Action / Remarks:

Date:

B. Schade: Head of the Product Assurance and Safety Department



APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL

Component Title: Capacitors, Leadless Surface Mounted, Tantalum, Solid Electrolyte, enclosed anode connection, based on type TAJ

Executive Member: ESA

Date: 22/02/2024

Page 4

Appl. No.

196L

ANNEX 1: LIST OF TESTS DONE TO SUPPORT EXTENSION OF QUALIFICATION

18

Tests conducted in compliance with:

- ESCC 3012 generic specification; Chart FIV (for ESCC/QPL parts);
- Or PID-TFD (for ESCC/QML parts)

Tests vehicle identification/description:

See box 14 (5 references):	A 1/20 - 301200101105KD B 10/10 - 301200102106KA C 4,7/35 - 301200113475KV D 3,3/50 - 301200114335KT E 100/16 - 301200117107KC
----------------------------	--

Detail Specification reference: 3012/001

Chart F4	Test	Tick when done	Conditions	Date Code	Tested Qty	No. of Rejects	Comments if not performed. Comments on Rejection
Environmental / Mechanical Subgroup Group 1A	Mounting	<input checked="" type="checkbox"/>	IEC 60384-1	A2340 B2340 C2319 D2317 E2340	4x5	0	
	Robustness of Terminations	<input checked="" type="checkbox"/>	ESCC 3012 issue 5, Para. 8.9	A2340 B2340 C2319 D2317 E2340	4x5	0	
	External Visual Inspection	<input checked="" type="checkbox"/>	ESCC 20500	A2340 B2340 C2319 D2317 E2340	4x5	0	
	Climatic Sequence	<input checked="" type="checkbox"/>	ESCC 3012 issue 5, Para. 8.10	A2340 B2340 C2319 D2317 E2340	4x5	0	
Environmental / Mechanical Subgroup Group 1B	Mounting	<input checked="" type="checkbox"/>	IEC 60384-1	A2340 B2340 C2319 D2317 E2340	4x5	0	
	Rapid Change of Temperature	<input checked="" type="checkbox"/>	ESCC 3012 issue 5, Para. 8.2.2 IEC 60068-2-14	A2340 B2340 C2319 D2317 E2340	4x5	0	
	Vibration	<input checked="" type="checkbox"/>	ESCC 3012 issue 5, Para. 8.11 IEC 60068-2-6	A2340 B2340 C2319 D2317 E2340	4x5	0	
	Mechanical Shock	<input checked="" type="checkbox"/>	ESCC 3012 issue 5, Para. 8.12 IEC 60068-2-27	A2340 B2340 C2319 D2317 E2340	4x5	0	



	External Visual Inspection	<input checked="" type="checkbox"/>	ESCC 20500	A2340 B2340 C2319 D2317 E2340	4x5	0	
	Climatic Sequence	<input checked="" type="checkbox"/>	ESCC 3012 issue 5, Para. 8.10	A2340 B2340 C2319 D2317 E2340	4x5	0	
Environmental / Mechanical Subgroup Group 1C	Mounting	<input checked="" type="checkbox"/>	IEC 60384-1	A2340 B2340 C2319 D2317 E2340	4x5	0	
	High and Low Temperature Stability	<input checked="" type="checkbox"/>	ESCC 3012 issue 5, 8.13	A2340 B2340 C2319 D2317 E2340	4x5	0	
	Surge Voltage	<input checked="" type="checkbox"/>	ESCC 3012 issue 5, 8.14	A2340 B2340 C2319 D2317 E2340	4x5	0	
	Damp Heat, Steady State	<input checked="" type="checkbox"/>	ESCC 3012 issue 5, 8.15 IEC 60068-2-78	A2340 B2340 C2319 D2317 E2340	4x5	0	
	External Visual Inspection	<input checked="" type="checkbox"/>	ESCC 20500	A2340 B2340 C2319 D2317 E2340	4x5	0	
Endurance Subgroup Group 2B (Operating life at 85 °C)	Mounting	<input checked="" type="checkbox"/>	IEC 60384-1	A2340 B2340 C2319 D2317 E2340	16x5	0	
	Operating Life at 85 °C	<input checked="" type="checkbox"/>	ESCC 3012 issue 5, Para. 8.16(b)	A2340 B2340 C2319 D2317 E2340	16x5	0	
	Intermediate and Final Measurements	<input checked="" type="checkbox"/>	ESCC 3012 issue 5, Para. 8.16(a) ESCC 3012/001 issue 9, Para. 2.4	A2340 B2340 C2319 D2317 E2340	16x5	0	
	External Visual Inspection	<input checked="" type="checkbox"/>	ESCC 20500	A2340 B2340 C2319 D2317 E2340	16x5	0	



APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL

Page 5

Component title: Capacitors, Leadless Surface Mounted, Tantalum, Solid Electrolyte, enclosed anode connection, based on type TAJ

Appl. No.

Executive Member: ESA

Date: 22/02/2024

196L

Assembly Capability Subgroup Group 3	Permanence of Marking	<input checked="" type="checkbox"/>	ESCC 24800	A2340 B2340 C2319 D2317 E2340	4x5	0	
	Solderability	<input checked="" type="checkbox"/>	IEC 60068-2-20 ESCC 3012 issue 5, Para. 8.18	A2340 B2340 C2319 D2317 E2340	4x5	0	



APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL

Component title: Capacitors, Leadless Surface Mounted, Tantalum, Solid Electrolyte, enclosed anode connection, based on type TAJ

Executive Member: ESA

Date: 22/02/2024

Page 7

Appl. No.

196L

NOTES ON THE COMPLETION OF THE APPLICATION FORM FOR ESCC QUALIFICATION EXTENSION APPROVAL

ENTRIES

Form heading

shall indicate: - the title of the component as given in its detail specification or the name of the series, family; - the Executive Member; - the entering date; - the certificate number and its sequential suffix.

Box 1

shall provide details given in the table; in particular there shall be listed: - the variants or range of variants; - the range of components (the ESCC code is recommended to indicate the values or values range, the tolerance, the voltage, etc); the designation given in the detail specification as 'base on'; - under Test Vehicle enter either an ESCC code or the specific characteristic capable of identifying the component tested (e.g., voltage of coil for a relay); - under component similar enter a cross if relevant.

Box 2; 3 and 4

As per QPL entry; otherwise, an explanation of the changes must be supplied.

Box 5

Will show the ESCC Generic and Detail specifications, including issue number and revision letter, current at the time the tests reported were performed. If the specifications are different from those current on the date of the application, see Box 6.

Box 6

Will show the deviations from the Generic and Detail Specifications listed in Box 5, in particular deviations from testing. In case of deviations this must be listed in Box 15. In case the referenced specification in Box 5 have currently a different issue and/or revision indicate also whether the test data deviates or not from such current documents.

Box 7

Must reference the report(s) supplied in support of the application.

Box 8

Should provide the details of procurement to the full ESCC System, documentation of all of which should already have been delivered to the ESCC Executive under the terms of the relevant Generic Specification. An appropriate table has been drawn in this box.

Box 9

If the PID evolved after the Original Qualification or after the last Extension of Qualification, adequate details of such evolution shall be provided together with the reasons for the changes. Major changes shall be clearly marked.

Box 10

Identify the current PID issue status, date and actual date of verification. The date of verification of the current PID should be arranged as close as possible to the required date of extension.

Box 11

This box can be completed only after a physical visit to the plant to confirm that no unexplained changes occurred and that the practices, procedures, material, etc. used in manufacturing the components are as described in the PID. This survey shall be carried out in accordance with the requirements of ESCC Basic Specification No. 20200 and its findings shall be recorded.

Box 12

Provide details of, or reference to, any Destructive Physical Analysis (DPA) and Failure Analysis reports as well as any Nonconformance(s) (NCCS) occurred during the qualification validity period, stating if established corrective action have produced satisfactory results.

Box 13

Enter only the name of the Executive Member (i.e., CNES, DLR, ESTEC, etc.) and the signature of the responsible Executive Coordinator.

Box 14

To be used when there is a need to expand any of the boxes from 1 through 12. Identify box affected and reference the Box 14 in the relevant Box. Box 14 can be broken into 14a, 14b, etc. if several boxes have to be expanded.

Box 15

Fill in Table as requested.

Box 16

Any additional action deemed necessary by the Executive Member to bring the submitted data to a standard likely to be accepted by the ESCC Executive should be listed herein or the reason(s) to accept the noncompliance.

Box 17

All Executive Manager recommendations on the application itself, special conditions or restrictions, modifications of the QPL or QML entry, letters to the manufacturer, etc. shall be entered clearly in Box 19, signed by the representative for ESA, and dated.

Box 18

Fill in Table as requested.

Box 19

Confidential Details of PID changes including those of a confidential nature, shall be provided.

Box 20

State noncompliance with reference to specification(s) and paragraph(s). To simplify reference in Box 16 each nonconformance shall be sequentially numbered. If relevant state 'None'.

Box 21

Any additional action deemed necessary by the Executive Member to bring the submitted data to a standard likely to be accepted by the ESCC Executive should be listed herein or the reason(s) to accept the noncompliance.

Box 22

Additional Comments.