
		APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL			Page 1
		Component Title: CONNECTORS, ELECTRICAL, CIRCULAR, BAYONET COUPLING, REMOVABLE CRIMP CONTACTS, BASED ON TYPE MIL-C-38999, SERIES II			Appl. No.
Executive Member: CNES		Date: 16/07/2024		221M	
Components (including series and families) submitted for Extension of Qualification Approval:					1
ESCC COMPONENT NO.	VARIANTS	RANGE OF COMPONENTS	BASED ON	TEST VEHICLE / S	COMPONENT SIMILAR
3401/044	01	# 20 with standard contact arrangements 3,6,10,18,26,32,41,55,61 #22 with high density arrangements 6,13,22,37,55,66,79,100,128	MIL-C-38999 serie 2	340104401	
3401/045	01 to 08	Other arrangements with contact sizes: 20, 16, 12, Receptacle and Plug shell sizes: 08,10,12,14,16,18,20,22,24		3401 045 02B 3401 045 04B 3401 045 06B 3401 045 08B	
3401/062	01 to 27	Operating temperature (°C) : -65 to +200		3401 062 05B 3401 062 14B 3401 062 16B 3401 062 25B	
Component Manufacturer SOURIAU		Location of Manufacturing Plant(s) 3 Rue du Vallon 94440 Marolles en Brie France		Date of original qualification approval: Date: 01/05/1995 Certificate Ref No. 221	
ESCC Specifications used for Maintenance of qualification testing: Generic: 3401 Issue: 5 Detail(s): 3401/044 Issue: 2 3401/045 4 3401/062 3		Deviations to LVT testing and Detail Specification used: No <input checked="" type="checkbox"/> Yes <input type="checkbox"/> (supply details in Box 15) Deviation from current Specifications: No <input checked="" type="checkbox"/> Yes <input type="checkbox"/> (Supply details)		Qualification Extension Report reference and date: PV8975-23-046 issue A 20/05/24	
Summary of procurement or equivalent test results during current validity period in support of this application (those to ESCC listed first)					
Project Name	Testing Level	LAT	Date code	Quantity Delivered	
See « Synthèse Historique des Ventes 38999 2022-2023.pdf »					
PID changes since start of qualification		Current PID Verified by: F. Nouals, CNES		Name of Executive Representative	
None <input type="checkbox"/>		Ref No: ZQU 92 M 256		Date: 16/07/2024	
Minor* <input checked="" type="checkbox"/>		Issue: R		Rev Date: 12/03/2024	
Major* <input type="checkbox"/> *Provide details in box: 19					
Current Manufacturing facilities surveyed by: François NOUALS, CNES			on 16/07/2024		
			(Name of Executive Representative) (Date)		
Satisfactory: Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Explain					
Report Reference: Compte de de reunion visite du 12 Juillet 2022					



APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL

Component title: CONNECTORS, ELECTRICAL, CIRCULAR, BAYONET COUPLING, REMOVABLE CRIMP CONTACTS, BASED ON TYPE MIL-C-38999, SERIES II

Executive Member: CNES

Date: 16/07/2024

Page 2

Appl. No.

221M

Failure Analysis, DPA, NCCS available: Yes No (Supply data)

12

Ref. No's and purposes:

The undersigned hereby certifies on behalf of the ESCC Executive - that the above information is correct; - that the appropriate documentation has been evaluated; - that full compliance to all ESCC requirements is evidence (except as stated in box 15;) - that the reports and data are available at the ESCC Executive and therefore applies on behalf of Cnes as the responsible Executive Member for ESCC qualification status to be extended to the component(s) listed herein.

13

Date: 17/07/2024

L. Fontaine, CNES
(Signature of the Executive Coordinator)

Continuation of Boxes above:

14



APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL

Component title: CONNECTORS, ELECTRICAL, CIRCULAR, BAYONET COUPLING, REMOVABLE CRIMP CONTACTS, BASED ON TYPE MIL-C-38999, SERIES II

Executive Member: CNES

Date: 16/07/2024

Page 3

Appl. No.

221M

Non compliance to ESCC requirements:

15

No.:	Specification	Paragraph	Non compliance

Additional tasks required to achieve full compliance for ESCC qualification or rationale for acceptability of noncompliance:

16

Executive Manager Disposition

17

Application Approval: Yes No

Action / Remarks:

Date:

B. Schade: Head of the Product Assurance and Safety Department



APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL

Component Title: CONNECTORS, ELECTRICAL, CIRCULAR, BAYONET COUPLING, REMOVABLE CRIMP CONTACTS, BASED ON TYPE MIL-C-38999, SERIES II

Executive Member: CNES

Date: 16/07/2024

Page 4

Appl. No.

221M

ANNEX 1: LIST OF TESTS DONE TO SUPPORT EXTENSION OF QUALIFICATION

18

Tests conducted in compliance with:

- ESCC 3401 generic specification; Chart V (for ESCC/QPL parts);
- Or PID-TFD (for ESCC/QML parts)

Tests vehicle identification/description:

Série	Référence	Désignation	Brochage	Répartition		Raccord	Désignation	Service Rating
				GROUPE 1	GROUPE 2			
Série 2 (3401/044)	340104401B031418PN	Embase Colliercette Carrée taille 14	14-18 (18Cts #20)	1 Couple	1 Couple	3401062048	Raccord simple	I
	340104401B06G1418SN	Fiche taille 14				3401062228	Raccord s/c 90°	
	340104401B032429SN	Embase Colliercette Carrée taille 24	24-29 (29 Cts #16)	1 Couple	1 Couple	3401062188	Raccord s/c droit	I
	340104401B06G2429PN	Fiche taille 24				3401062278	Raccord s/c 90°	
	3401045028	Douille # 22 pour série 2			10			
	3401045048	Douille # 20 pour série 2			10			
	3401045068	Douille # 16 pour série 2			10			
	3401045088	Douille # 12 pour série 2			10			

Detail Specification reference: 3401/044 – 3401/045 – 3401/062

Chart V	Test	Tick when done	Conditions	Date Code	Tested Qty	No. of Rejects	Comments if not performed. Comments on Rejection
Environmental and Mechanical Subgroup	Wiring	<input checked="" type="checkbox"/>	ESCC 3401 Para. 9.10	2320	4	0	
	Climatic Sequence	<input checked="" type="checkbox"/>	ESCC 3401 Para. 9.13	2320	4	0	
	Permanence of Marking	<input checked="" type="checkbox"/>	ESCC 24800	2320	4	0	
	Corrosion	<input checked="" type="checkbox"/>	IEC Publication No. 68-2-11	2320	4	0	
	Seal Test	<input type="checkbox"/>	ESCC 3401 Para. 9.9				Not applicable
	Plating Thickness	<input checked="" type="checkbox"/>	ESCC 3401 Para. 5.2.3	2320	4	0	
Endurance Subgroups	Wiring	<input checked="" type="checkbox"/>	ESCC 3401 Para. 9.10	2320	4	0	
	Rapid change of Temperature	<input checked="" type="checkbox"/>	ESCC 3401 Para. 9.16	2320	4	0	
	Contact Retention	<input checked="" type="checkbox"/>	ESCC 3401 Para. 9.17	2320	4	0	
	Maintenance Ageing	<input checked="" type="checkbox"/>	ESCC 3401 Para. 9.27	2320	4	0	
	Endurance	<input checked="" type="checkbox"/>	ESCC 3401 Para. 9.18	2320	4	0	
	Seal Test	<input type="checkbox"/>	ESCC 3401 Para. 9.9				Not applicable
	Joint Strength	<input checked="" type="checkbox"/>	ESCC 3401 Para. 9.15	2320	4	0	
	Engage/Separ. Forces	<input checked="" type="checkbox"/>	ESCC 3401 Para. 9.28	2320	4	0	
	Oversize Pin Exclusion	<input checked="" type="checkbox"/>	ESCC 3401 Para. 9.29	2320	4	0	
Probe Damage	<input checked="" type="checkbox"/>	IEC Publication No. 512-8	2320	4	0		
Additional Tests		<input type="checkbox"/>					
		<input type="checkbox"/>					
		<input type="checkbox"/>					



APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL

Component title: CONNECTORS, ELECTRICAL, CIRCULAR, BAYONET COUPLING, REMOVABLE CRIMP CONTACTS, BASED ON TYPE MIL-C-38999, SERIES II

Executive Member: CNES

Date: 16/07/2024

Page 6

Appl. No.

221M

NOTES ON THE COMPLETION OF THE APPLICATION FORM FOR ESCC QUALIFICATION EXTENSION APPROVAL

ENTRIES

Form heading

shall indicate: - the title of the component as given in its detail specification or the name of the series, family; - the Executive Member; - the entering date; - the certificate number and its sequential suffix.

Box 1

shall provide details given in the table; in particular there shall be listed: - the variants or range of variants; - the range of components (the ESCC code is recommended to indicate the values or values range, the tolerance, the voltage, etc); the designation given in the detail specification as 'base on'; - under Test Vehicle enter either an ESCC code or the specific characteristic capable of identifying the component tested (e.g., voltage of coil for a relay); - under component similar enter a cross if relevant.

Box 2; 3 and 4

As per QPL entry; otherwise, an explanation of the changes must be supplied.

Box 5

Will show the ESCC Generic and Detail specifications, including issue number and revision letter, current at the time the tests reported were performed. If the specifications are different from those current on the date of the application, see Box 6.

Box 6

Will show the deviations from the Generic and Detail Specifications listed in Box 5, in particular deviations from testing. In case of deviations this must be listed in Box 15. In case the referenced specification in Box 5 have currently a different issue and/or revision indicate also whether the test data deviates or not from such current documents.

Box 7

Must reference the report(s) supplied in support of the application.

Box 8

Should provide the details of procurement to the full ESCC System, documentation of all of which should already have been delivered to the ESCC Executive under the terms of the relevant Generic Specification. An appropriate table has been drawn in this box.

Box 9

If the PID evolved after the Original Qualification or after the last Extension of Qualification, adequate details of such evolution shall be provided together with the reasons for the changes. Major changes shall be clearly marked.

Box 10

Identify the current PID issue status, date and actual date of verification. The date of verification of the current PID should be arranged as close as possible to the required date of extension.

Box 11

This box can be completed only after a physical visit to the plant to confirm that no unexplained changes occurred and that the practices, procedures, material, etc. used in manufacturing the components are as described in the PID. This survey shall be carried out in accordance with the requirements of ESCC Basic Specification No. 20200 and its findings shall be recorded.

Box 12

Provide details of, or reference to, any Destructive Physical Analysis (DPA) and Failure Analysis reports as well as any Nonconformance(s) (NCCS) occurred during the qualification validity period, stating if established corrective action have produced satisfactory results.

Box 13

Enter only the name of the Executive Member (i.e., CNES, DLR, ESTEC, etc.) and the signature of the responsible Executive Coordinator.

Box 14

To be used when there is a need to expand any of the boxes from 1 through 12. Identify box affected and reference the Box 14 in the relevant Box. Box 14 can be broken into 14a, 14b, etc. if several boxes have to be expanded.

Box 15

Fill in Table as requested.

Box 16

Any additional action deemed necessary by the Executive Member to bring the submitted data to a standard likely to be accepted by the ESCC Executive should be listed herein or the reason(s) to accept the noncompliance.

Box 17

All Executive Manager recommendations on the application itself, special conditions or restrictions, modifications of the QPL or QML entry, letters to the manufacturer, etc. shall be entered clearly in Box 19, signed by the representative for ESA, and dated.

Box 18

Fill in Table as requested.

Box 19

Confidential Details of PID changes including those of a confidential nature, shall be provided.

Box 20

State noncompliance with reference to specification(s) and paragraph(s). To simplify reference in Box 16 each nonconformance shall be sequentially numbered. If relevant state 'None'.

Box 21

Any additional action deemed necessary by the Executive Member to bring the submitted data to a standard likely to be accepted by the ESCC Executive should be listed herein or the reason(s) to accept the noncompliance.

Box 22

Additional Comments.