

Component Title:

CONNECTORS, MINIATURE, ELECTRICAL, CIRCULAR, TRIPLE-START SELF-LOCKING COUPLING, SCOOP-PROOF, REMOVABLE & NON-REMOVABLE CRIMP

Appl. No.

Page 1

1		С	ONTACTS BAS	ED ON TYPE	E MIL-	C-38999, SERIES III		
		Executive Member:	CNES	ate: 16/07/2024	222	2M		
Components (includia	ng series and families	s) submitted for Extension	submitted for Extension of Qualification Approval:					1
ESCC	1			BASED	,	TEST	COMPONE	FNT
COMPONENT NO.	VARIANTS	RANGE OF COI	MPONENTS	ON		VEHICLE / S	SIMILAF	
3401/056 3401/070	01	arrangements (3,4,5,6,7,8,10,18,19 ,61 contacts) with high density arra	(3,4,5,6,7,8,10,18,19,26,32,41,53,55 ,61 contacts) #22 with high density arrangements (6,13,22,37,55,66,79,100,128			340105601 340107001		
3401/058	01 to 14	Other arrangements sizes # 20, 16, 12, 8, contact Receptacle and Plug 09,11,13,15,17,19,2	, 4 and Triax g Shell Sizes:			3401 058 02B 3401 058 04B 3401 058 06B 3401 066 01B2 3401 066 02B1		
3401/062	28 to 54	Operating temperatu +200	Operating temperature (°C) : -65 to +200			3401 062 29B 3401 062 38B 3401 062 40B 3401 062 49B 3401 062 34B 3401 062 52B 3401 062 33B 3401 062 42B		
3401/066	01 to 02							
Component Ma	anufacturer	2 Location of Ma	anufacturing Plant((s) 3	<u> </u>			4
SOURIAU		3 Rue du Vallon 94440 Marolles en B France	94440 Marolles en Brie France			Date of original qualification approval: Date: 01/05/1995 Certificate Ref No. 222		
	0.1	5		6				7
ESCC Specifications used for Maintenance of qualification testing:		Deviations to LVT ter used:	used:			fication Extension Report ence and date:		
Generic: 3401	Issue: 5	No ⊠ Yes	No No Yes (supply details in Box 15) PV8975-23-046 issue A 20/05/24					
Detail(s): 3401/056		Deviation from curre						
3401/058 3401/062 3401/066 3401/070	2 3 6 4	No ⊠ Yes	□ (Supply de	etails)				
								8
Summary of procurent Project Name	nent or equivalent test Testing Level			port of this app Date code	lication	(those to ESCC listed first) Quantit	ty Delivered	
See « Synthèse		1 0		idic code		Que	ly Delivered	
Historique des Ventes 38999 2022-2023.pdf								
PID changes since sta	art of qualification	9	Current PID Ve	erified by:		F. Nouals, CNES		10
None			l and the same		Na	ame of Excutive Representa	ative	
Minor* ⊠			2 5=	QU 92 M 256				
Major* □	*Provide details in box	x: 19	Issue: R Rev Date: 12	2/03/2024		Date:	16/07/2024	
Current Manufacturin	a facilities supreved by		Francia MOUA	I C ONEC		9	L	11
Current Manufacturing	g facilities surveyed by	-	François NOUA e of Executive Rep		on		6/07/2024 (Date)	
O-Wafa at a se	Ver		•	nesemanve)			(Date)	
Satisfactory: Report Reference:	Yes ⊠ Compte de de re Juillet 2022 (pas visite)	eunion visite du 12	plain			2	The state of the s	

ESCC

APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL

Component title:

CONNECTORS, MINIATURE, ELECTRICAL, CIRCULAR, TRIPLE-START SELF-LOCKING COUPLING, SCOOP-PROOF, REMOVABLE & NON-REMOVABLE CRIMP CONTACTS BASED ON TYPE MIL-C-

38999, SERIES III

Executive Member:

CNES

Date: 16/07/2024

Appl. No.

Page 2

Failure Analysis	, DPA,	NCCS	available:	
------------------	--------	------	------------	--

Yes

No

(Supply data)

12

Ref.	No's	and	purposes:

The undersigned hereby certifies on behalf of the ESCC Executive - that the above information is correct; - that the appropriate documentation has been evaluated; - that full compliance to all ESCC requirements is evidence (except as stated in box 15;) - that the reports and data are available at the ESCC Executive and therefore applies on behalf of CNES as the responsible Executive Member for ESCC qualification status to be extended to the component(s) listed herein.

Date:

17/07/2024

L. Fontaine, CNES

(Signature of the Executive Coordinator)

Continuation of Boxes above:

14

13

Component title:

CONNECTORS, MINIATURE, ELECTRICAL, CIRCULAR, TRIPLE-START SELF-LOCKING COUPLING, SCOOP-PROOF, REMOVABLE & NON-REMOVABLE CRIMP CONTACTS BASED ON TYPE MIL-C-38999, SERIES III

Appl. No.

Page 3

		Executive Member	er: CNES	Date:	16/07/2024	222M
Non compliance	e to ESCC requirements:					
No.:	Specification		Paragraph		Non compliance	e
-						
				- -		
Additional tasks	s required to achieve full co	ompliance for ESCC	qualification or rationale for acc	eptability of		1
ioncompliance						
xecutive Mana	ager Disposition					Т.
pplication App		No 🗆				_ 1
ction / Remark						
					201	
				1	5 X/1	
ate:				R Sch	nade: Head of the Product	Assurance
				ь. su	and Safety Department	Assurance



Component Title:

CONNECTORS, MINIATURE, ELECTRICAL, CIRCULAR, TRIPLE-START SELF-LOCKING COUPLING, SCOOP-PROOF, REMOVABLE & NON-REMOVABLE CRIMP CONTACTS BASED ON TYPE MIL-C-

CNES Date: 16/07/2024 Executive Member:

Appl. No. 222M

18

Page 4

ANNEX 1: LIST OF TESTS DONE TO SUPPORT EXTENSION OF QUALIFICATION

Tests conducted in compliance with:

 $\begin{array}{ll} {\sf ESCC~3401~generic~specification;~Chart~V~(for~ESCC/QPL~parts);} \\ {\sf Or~PID-TFD} & ({\sf for~ESCC/QML~parts}) \end{array}$

Tests vehicle identification/description:

Série	Référence	Désignation	Brochage		tition GROUPE 2	Raccord 3401062xxB	Désignation	Service Rating
	the state of the s	Embase Fixation par Ecrou taille 17 Fiche taille 17	17-06 (6 Cts #12)	1 Couple	1 Couple	3401 062 418 3401 062 418		1
Série 3 (3401/056)		Embase Collerette Carrée taille 21 Fiche taille 21	21-35 (79Cts #22)	1 Couple	1 Couple	3401 062 43B 3401 062 52B		м
		EmbaseFixation par Ecrou taille 25 Fiche taille 25	25-61 (61 Cts #20)	1 Couple	1 Counte	3401 062 368 3401 062 458		1
		107001B00L1726SN Embase Collerette carrée taille 17 (picots) 17-26 (26 Cts #20)	1 Couple	1 Couple	/ 3401 062 328	/ Raccord simple	1	

340105802B	Douille # 22 pour séries 1 et 3	10
340105804B	Douille # 20 pour séries 1 et 3	10
3401058068	Douille # 16 pour séries1 et 3	10
3401058088	Douille # 12 pour séries 1 et 3	10

3401/056 - 3401/058 - 3401/062 - 3401/066 - 3401/070 Detail Specification reference:

Chart V	Test	Tick when done	Conditions	Date Code	Tested Qty	No. of Rejects	Comments if not performed. Comments on Rejection
	Wiring	\boxtimes	ESCC 3401 Para. 9.10	2320	8	0	
dnou	Climatic Sequence	\boxtimes	ESCC 3401 Para. 9.13	2320	8	0	
Environmental and Mechanical Subgroup	Permanence of Marking	⊠	ESCC 24800	2320	8	0	
vironm	Corrosion	×	IEC Publication No. 68-2-11	2320	8	0	
Mect	Seal Test		ESCC 3401 Para. 9.9				Not applicable
	Plating Thickness	×	ESCC 3401 Para. 5.2.3	2320	8	0	
	Wiring	\boxtimes	ESCC 3401 Para. 9.10	2320	8	0	
	Rapid change of Temperature	×	ESCC 3401 Para. 9.16	2320	8	0	
	Contact Retention		ESCC 3401 Para. 9.17	2320	8	0	
sdno	Maintenance Ageing	⊠	ESCC 3401 Para. 9.27	2320	8	0	
ubgu	Endurance	⊠	ESCC 3401 Para. 9.18	2320	8	0	
Endurance Subgroups	Seal Test		ESCC 3401 Para. 9.9				Not applicable
durar	Joint Stength	⊠	ESCC 3401 Para. 9.15	2320	8	0	
Enc	Engage/Separ. Forces	×	ESCC 3401 Para. 9.28	2320	8	0	
	Oversize Pin Exclusion	×	ESCC 3401 Para. 9.29	2320	8	0	
	Probe Damage	×	IEC Publication No. 512-8	2320	8	0	
Additi onal Tests							



CONNECTORS, MINIATURE, ELECTRICAL, CIRCULAR, TRIPLE-START SELF-LOCKING COUPLING, SCOOP-PROOF, REMOVABLE & NON-REMOVABLE CRIMP CONTACTS BASED ON TYPE MIL-C-38999, SERIES III Component title:

Executive Member: CNES Date: 16/07/2024 Appl. No. 222M

Page 6

NOTES ON THE COMPLETION OF THE APPLICATION FORM FOR ESCC QUALIFICATION EXTENSION APPROVAL

	NOTES ON THE COMPLETION OF THE APPLICATION FORM FOR ESCC QUALIFICATION EXTENSION APPROVAL
ENTRIES Form heading	shall indicate: - the title of the component as given in its detail specification or the name of the series, family; - the Executive Member; - the entering date; - the certificate number and its sequential suffix.
Box 1	shall provide details given in the table; in particular there shall be listed: - the variants or range of variants; - the range of components (the ESCC code is recommended to indicate the values or values range, the tolerance, the voltage, etc); the designation given in the detail specification as 'base on'; - under Test Vehicle enter either an ESCC code or the specific characteristic capable of identifying the component tested (e.g., voltage of coil for a relay); - under component similar enter a cross if relevant.
Box 2; 3 and 4	As per QPL entry; otherwise, an explanation of the changes must be supplied.
Box 5	Will show the ESCC Generic and Detail specifications, including issue number and revision letter, current at the time the tests reported were performed. If the specifications are different from those current on the date of the application, see Box 6.
Box 6	Will show the deviations from the Generic and Detail Specifications listed in Box 5, in particular deviations from testing. In case of deviations this must be listed in Box 15. In case the referenced specification in Box 5 have currently a different issue and/or revision indicate also whether the test data deviates or not from such current documents.
Box 7	Must reference the report(s) supplied in support of the application.
Box 8	Should provide the details of procurement to the full ESCC System, documentation of all of which should already have been delivered to the ESCC Executive under the terms of the relevant Generic Specification. An appropriate table has been drawn in this box.
Box 9	If the PID evolved after the Original Qualification or after the last Extension of Qualification, adequate details of such evolution shall be provided together with the reasons for the changes. Major changes shall be clearly marked.
Box 10	Identify the current PID issue status, date and actual date of verification. The date of verification of the current PID should be arranged as close as possible to the required date of extension.
Box 11	This box can be completed only after a physical visit to the plant to confirm that no unexplained changes occurred and that the practices, procedures, material, etc. used in manufacturing the components are as described in the PID. This survey shall be carried out in accordance with the requirements of ESCC Basic Specification No. 20200 and its findings shall be recorded.
Box 12	Provide details of, or reference to, any Destructive Physical Analysis (DPA) and Failure Analysis reports as well as any Nonconformance(s) (NCCS) occurred during the qualification validity period, stating if established corrective action have produced satisfactory results.
Box 13	Enter only the name of the Executive Member (i.e., CNES, DLR, ESTEC, etc.) and the signature of the responsible Executive Coordinator.
Box 14	To be used when there is a need to expand any of the boxes from 1 through 12. Identify box affected and reference the Box 14 in the relevant Box. Box 14 can be broken into 14a, 14b, etc. if several boxes have to be expanded.
Box 15	Fill in Table as requested.
Box 16	Any additional action deemed necessary by the Executive Member to bring the submitted data to a standard likely to be accepted by the ESCC Executive should be listed herein or the reason(s) to accept the noncompliance.
Box 17	All Executive Manager recommendations on the application itself, special conditions or restrictions, modifications of the QPL or QML entry, letters to the manufacturer, etc. shall be entered clearly in Box 19, signed by the representative for ESA, and dated.
Box 18	Fill in Table as requested.
Box 19	Confidential Details of PID changes including those of a confidential nature, shall be provided.
Box 20	State noncompliance with reference to specification(s) and paragraph(s). To simplify reference in Box 16 each nonconformance shall be sequentially numbered. If relevant state 'None'.
Box 21	Any additional action deemed necessary by the Executive Member to bring the submitted data to a standard likely to be accepted by the ESCC Executive should be listed herein or the reason(s) to accept the noncompliance.
Box 22	Additional Comments.