



APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL

Component Title: **CONNECTORS, ELECTRICAL, RECTANGULAR, NON-REMOVABLE SOLDER BUCKET, PCB AND WIRE-WRAP CONTACTS AND REMOVABLE COAXIAL AND POWER CONTACTS BASED ON TYPE D*M**

Executive Member: **CNES** Date: **29/07/2024**

Page 1
Appl. No.
155R

Components (including series and families) submitted for Extension of Qualification Approval:

1

ESCC COMPONENT NO.	VARIANTS	RANGE OF COMPONENTS	BASED ON	TEST VEHICLE / S	COMPONENT SIMILAR
3401/001	01	Range of Contacts: Size 20 : 9, 15, 25, 37 and 50 contacts. Coaxial and power contacts and arrangement Mounting Type: Standard mounting holes Blank Floating mount Y Captive nuts. E Gold-plated non-magnetic coating Operating Temperature Range ("C): - 55to +125 Complete range as defined in detailed specification is qualified except :- High density 104 contacts arrangement	D*M	3401 001 01 B DCM 3401 001 01 B DBM 3401 001 01 B DEM	
3401/001	02	Range of Contacts: Size 22: 15, 26, 44, 62, and 78 contacts. Mounting Type: Standard mounting holes Blank Floating mount Y Captive nuts. E Gold-plated non-magnetic coating Operating Temperature Range ("C): - 55to +125 Complete range as defined in detailed specification is qualified except :- High density 104 contacts arrangement	D*M	3401 001 02B DBM	
3401/022	01 to 16 & 44 to 57 & 65 to 80	Accessories for Rectangular Connectors		3401 022 01,06, 48, 55, 73, 74.	
3401/072	01 to 65	Lightweight accessories for rectangular connectors		3401 072 01, 04, 05, 08, 25, 27, 35, 36, 37, 48, 53	
3401/004	01 to 20	Contacts Coaxial Crimp-type and Solder- Type for 3401/001		3401 004 01, 02, 05, 06	
3401/040	01 to 12	Contacts Power Crimp-Type and Solder Type for 3401/001		3401 040 05, 06, 11, 12	

Component Manufacturer SOURIAU	2	Location of Manufacturing Plant(s) 3 Rue du Vallon 94440 Marolles en Brie FRANCE	3	Date of original qualification approval: Date: 05/08/1988 Certificate Ref No. 155	4
-----------------------------------	---	---	---	---	---

ESCC Specifications used for Maintenance of qualification testing: Generic: 3401 Issue: 5 Detail(s): 3401/001 Issue: 12 3401/004 Issue 4 3401/040 Issue 7 3401/022 Issue 14 3401/072 Issue 11	5	Deviations to LVT testing and Detail Specification used: No <input checked="" type="checkbox"/> Yes <input type="checkbox"/> (supply details in Box 15) Deviation from current Specifications: No <input checked="" type="checkbox"/> Yes <input type="checkbox"/> (Supply details)	6	Qualification Extension Report reference and date: PV 8949-23-030 Issue A. 06/09/2024	7
---	---	--	---	--	---

Summary of procurement or equivalent test results during current validity period in support of this application (those to ESCC listed first)

8

Project Name	Testing Level	LAT	Date code	Quantity Delivered
See Synthese Historique ventes SubD in appendix				

PID changes since start of qualification		9	Current PID	Verified by:	F. Nouals, CNES	10
None	<input type="checkbox"/>				Name of Executive Representative	
Minor*	<input checked="" type="checkbox"/>		Ref No:	ZQU 92 M 153		
Major*	<input type="checkbox"/>	*Provide details in box:	Issue:	W	Date:	29/07/2024
		19	Rev Date:	19/06/2023		
Current Manufacturing facilities surveyed by:			F. Nouals, CNES	on	12/07/2022	11
			(Name of Executive Representative)		(Date)	
Satisfactory:	Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>	Explain	
Report Reference:	Compte rendu Visite de Souriau 2022					



APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL

Component title: CONNECTORS, ELECTRICAL, RECTANGULAR, NON-REMOVABLE SOLDER BUCKET, PCB AND WIRE-WRAP CONTACTS AND REMOVABLE COAXIAL AND POWER CONTACTS BASED ON TYPE D'M

Executive Member: CNES

Date: 29/07/2024

Page 3

Appl. No.

155R

Non compliance to ESCC requirements:

15

No.:	Specification	Paragraph	Non compliance

Additional tasks required to achieve full compliance for ESCC qualification or rationale for acceptability of noncompliance:

16

Executive Manager Disposition

17

Application Approval: Yes No

Action / Remarks:

Date:

B. Schade: Head of the Quality Department



APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL

Component title: CONNECTORS, ELECTRICAL, RECTANGULAR, NON-REMOVABLE
SOLDER BUCKET, PCB AND WIRE-WRAP CONTACTS AND
REMOVABLE COAXIAL AND POWER CONTACTS BASED
ON TYPE D'M

Executive Member: CNES

Date: 29/07/2024

Page 2

Appl. No.

155R

Failure Analysis, DPA, NCCS available: Yes No (Supply data)

12

Ref. No's and purposes:

The undersigned hereby certifies on behalf of the ESCC Executive - that the above information is correct; -
that the appropriate documentation has been evaluated; - that full compliance to all ESCC requirements is evidence
(except as stated in box 15); - that the reports and data are available at the ESCC Executive and therefore applies on behalf of
.....CNES..... as the responsible Executive Member for ESCC qualification status to be extended to the component(s) listed herein.

13

Date: 18/11/2024

L. FONTAINE, CNES
(Signature of the Executive Coordinator)

Continuation of Boxes above:

Signature
numérique de
Fontaine Lya-
Cnes
Date : 2024.11.20
16:01:30 +01'00'

14



APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL

Component Title: CONNECTORS, ELECTRICAL, RECTANGULAR, NON-REMOVABLE SOLDER BUCKET, PCB AND WIRE-WRAP CONTACTS AND REMOVABLE COAXIAL AND POWER CONTACTS BASED ON TYPE D'M

Executive Member: CNES

Date: 29/07/2024

Page 4

Appl. No.

155R

ANNEX 1: LIST OF TESTS DONE TO SUPPORT EXTENSION OF QUALIFICATION

18

Tests conducted in compliance with:

- ESCC 3401 generic specification; Chart V (for ESCC/QPL parts);
- Or PID-TFD (for ESCC/QML parts)

Tests vehicle identification/description:

D'M Isolant PEEK	Part Number	Description	Quantity	Unit
	3401 001 01B DEM 9SNMB1A7N	Connecteurs Taille E 9#20	1 couple	1 couple
	3401 001 01B DEM 9PNMB			
	3401 001 01B DBM 13W3PNMB	Connecteurs Taille B 3#8 & 10#20	1 couple	1 couple
	3401 001 01B DBM 13W3SNMBOL3			
	3401 001 01B DBM 25PNMB OL3	Connecteurs Taille B 25#20	1 couple	1 couple
	3401 001 01B DBM 25SNMB			
	3401 001 01B DCM 27W2PNMB	Connecteurs Taille C 2#8 & 25#20	1 couple	1 couple
	3401 001 01B DCM 27W2SNMB			
	3401 001 02B DBM 44PNMB OL3	Connecteurs Taille B 44# 22	1 couple	1 couple
	3401 001 02B DBM 44SNMB 1C7N			
	340100401B	Contact Coaxial Mâle #8 Droit à Souder	10	
	340100402B	Contact Coaxial Femelle #8 Droit à Souder	10	
	340100405B	Contact Coaxial Mâle #8 Droit à Souder	10	
	340100406B	Contact Coaxial Femelle #8 Droit à Souder	10	
	340104005B	Contact de Puissance Mâle #8 à Souder	10	
	340104006B	Contact de Puissance Femelle #8 à Souder	10	
	340104011B	Contact de Puissance Mâle #8 à Sertir	10	
	340104012B	Contact de Puissance Femelle #8 à Sertir	10	

Screw Lock	Raccords
	/
3401 072 01BNMB	3401 072 05BNMB
3401 072 01BNMB	3401 072 48BNMB
3401 022 01BNMB	/
3401 022 01BNMB	/
3401 072 01BNMB	3401 072 53BNMB
3401 022 48B	340107208BNMB
3401 022 74B	340107208BNMB
3401 022 01BNMB	/
	/
3401 022 06BNMB	/
3401 022 55BNMB	/
3401 022 48B	/
3401 022 73B	/
3401 072 01BNMB	3401 072 36BNMB
3401 022 01BNMB	3401 072 36BNMB
3401 072 01BNMB	3401 072 37BNMB
3401 022 01BNMB	3401 072 27BNMB
3401 072 01BNMB	3401 072 25BNMB
3401 022 01BNMB	3401 072 35BNMB
3401 072 04B	/
3401 022 48B	/

Detail Specification reference: 3401/001, 3401/004, 3401/040, 3401/022, 3401/072

Chart V	Test	Tick when done	Conditions	Date Code	Tested Qty	No. of Rejects	Comments if not performed. Comments on Rejection
Environmental and Mechanical Subgroup	Wiring	<input checked="" type="checkbox"/>	ESCC 3401 Para. 9.10	2331	10		
	Climatic Sequence	<input checked="" type="checkbox"/>	ESCC 3401 Para. 9.13	2331	10		
	Permanence of Marking	<input checked="" type="checkbox"/>	ESCC 24800	2331	10		
	Corrosion	<input checked="" type="checkbox"/>	IEC Publication No. 68-2-11	2331	10		
	Seal Test	<input type="checkbox"/>	ESCC 3401 Para. 9.9				NA
	Plating Thickness	<input checked="" type="checkbox"/>	ESCC 3401 Para. 5.2.3	2331	10		
Endurance Subgroups	Wiring	<input checked="" type="checkbox"/>	ESCC 3401 Para. 9.10	2331	10		
	Rapid change of Temperature	<input checked="" type="checkbox"/>	ESCC 3401 Para. 9.16	2331	10		
	Contact Retention	<input checked="" type="checkbox"/>	ESCC 3401 Para. 9.17	2331	10		
	Maintenance Ageing	<input type="checkbox"/>	ESCC 3401 Para. 9.27				NA
	Endurance	<input checked="" type="checkbox"/>	ESCC 3401 Para. 9.18	2331	10		
	Seal Test	<input type="checkbox"/>	ESCC 3401 Para. 9.9				NA
	Joint Strength	<input type="checkbox"/>	ESCC 3401 Para. 9.15				NA
	Engage/Separ. Forces	<input checked="" type="checkbox"/>	ESCC 3401 Para. 9.28	2331	10		
	Oversize Pin Exclusion	<input checked="" type="checkbox"/>	ESCC 3401 Para. 9.29	2331	10		
	Probe Damage	<input checked="" type="checkbox"/>	IEC Publication No. 512-8	2331	10		
Additional Tests		<input type="checkbox"/>					
		<input type="checkbox"/>					
		<input type="checkbox"/>					



APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL

Page 6

Component title: CONNECTORS, ELECTRICAL, RECTANGULAR, NON-REMOVABLE
SOLDER BUCKET, PCB AND WIRE-WRAP CONTACTS AND
REMOVABLE COAXIAL AND POWER CONTACTS BASED
ON TYPE D'M

Appl. No.

Executive Member: CNES

Date: 29/07/2024

155R

NOTES ON THE COMPLETION OF THE APPLICATION FORM FOR ESCC QUALIFICATION EXTENSION APPROVAL

ENTRIES

Form heading	shall indicate: - the title of the component as given in its detail specification or the name of the series, family; - the Executive Member; - the entering date; - the certificate number and its sequential suffix.
Box 1	shall provide details given in the table; in particular there shall be listed: - the variants or range of variants; - the range of components (the ESCC code is recommended to indicate the values or values range, the tolerance, the voltage, etc); the designation given in the detail specification as 'base on'; - under Test Vehicle enter either an ESCC code or the specific characteristic capable of identifying the component tested (e.g., voltage of coil for a relay); - under component similar enter a cross if relevant.
Box 2; 3 and 4	As per QPL entry; otherwise, an explanation of the changes must be supplied.
Box 5	Will show the ESCC Generic and Detail specifications, including issue number and revision letter, current at the time the tests reported were performed. If the specifications are different from those current on the date of the application, see Box 6.
Box 6	Will show the deviations from the Generic and Detail Specifications listed in Box 5, in particular deviations from testing. In case of deviations this must be listed in Box 15. In case the referenced specification in Box 5 have currently a different issue and/or revision indicate also whether the test data deviates or not from such current documents.
Box 7	Must reference the report(s) supplied in support of the application.
Box 8	Should provide the details of procurement to the full ESCC System, documentation of all of which should already have been delivered to the ESCC Executive under the terms of the relevant Generic Specification. An appropriate table has been drawn in this box.
Box 9	If the PID evolved after the Original Qualification or after the last Extension of Qualification, adequate details of such evolution shall be provided together with the reasons for the changes. Major changes shall be clearly marked.
Box 10	Identify the current PID issue status, date and actual date of verification. The date of verification of the current PID should be arranged as close as possible to the required date of extension.
Box 11	This box can be completed only after a physical visit to the plant to confirm that no unexplained changes occurred and that the practices, procedures, material, etc. used in manufacturing the components are as described in the PID. This survey shall be carried out in accordance with the requirements of ESCC Basic Specification No. 20200 and its findings shall be recorded.
Box 12	Provide details of, or reference to, any Destructive Physical Analysis (DPA) and Failure Analysis reports as well as any Nonconformance(s) (NCCS) occurred during the qualification validity period, stating if established corrective action have produced satisfactory results.
Box 13	Enter only the name of the Executive Member (i.e., CNES, DLR, ESTEC, etc.) and the signature of the responsible Executive Coordinator.
Box 14	To be used when there is a need to expand any of the boxes from 1 through 12. Identify box affected and reference the Box 14 in the relevant Box. Box 14 can be broken into 14a, 14b, etc. if several boxes have to be expanded.
Box 15	Fill in Table as requested.
Box 16	Any additional action deemed necessary by the Executive Member to bring the submitted data to a standard likely to be accepted by the ESCC Executive should be listed herein or the reason(s) to accept the noncompliance.
Box 17	All Executive Manager recommendations on the application itself, special conditions or restrictions, modifications of the QPL or QML entry, letters to the manufacturer, etc. shall be entered clearly in Box 19, signed by the representative for ESA, and dated.
Box 18	Fill in Table as requested.
Box 19	Confidential Details of PID changes including those of a confidential nature, shall be provided.
Box 20	State noncompliance with reference to specification(s) and paragraph(s). To simplify reference in Box 16 each nonconformance shall be sequentially numbered. If relevant state 'None'.
Box 21	Any additional action deemed necessary by the Executive Member to bring the submitted data to a standard likely to be accepted by the ESCC Executive should be listed herein or the reason(s) to accept the noncompliance.
Box 22	Additional Comments.