2300	ESCC

APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL

Component Title: POLYIMIDE INSULATED WIDES AND CARLES

Page 1

	SCC	Executive	6	00V, -100 to 20		RES		16/02/2025	ICY,	Appl. No.
Components (inclu	ding series and familie		10010001001=0		n Approval:		Date. 2	.0/02/2023		07V
ESCC COMP. NO.	VARIANTS			DMPONENTS BASE) TEST			ONENT
3901 001	24 to 29, 32, 35, 3 41, 44, 47	8, All varia		hose based on				EHICLE / S 002 48 B3	SIM	ILAR
3901 002	31 to 91	All varia								
Component I PRYSMIAN DRAKA	Draka F D1001	Location of Manufacturing Plant Draka FILECA D1001 60730 Sainte Genevieve - FRANCE				Date of original qualification approval: Date: 15/01/1979 Certificate Ref No. 07				
ESCC Specification Maintenance of qua Generic: 3901 Is Detail(s): 3901-0	used: No Deviation	No ⊠ Yes ☐ (supply details in Box 15) Deviation from current Specifications:			n	Qualification Extension Report reference and date: Qualification Report FE 23162 29/02/2024			7	
Summary of procure	ement or equivalent te	st results duri	ng current va	alidity period in	support of th			DAY S	100 m 15 m/ 1900/	8
See Prises de commande 2022-2023.pdf			- C (1		Date	code		Qu	antity Delivere	d
PID changes since s None □ Minor* ⊠	start of qualification		9	Current PID Ref No:	•	01 5		Nouals, CNES	ntative	10
Major*	*Provide detail			Issue: Rev Date:	Ed 4 rev H 12/01/2024	01 E	and PID RD 01-	17.73	18/02/2025	
Current Manufacturii	ng facilities surveyed b	у:	(Name	Nouals, of Executive F		e)	_		02/2025 Date)	11
Satisfactory:	Yes ⊠	No								

APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL POLYIMIDE INSULATED WIRES AND CABLES, LOW FREQUENCY, Component title: 600V, -100 to 200°C CNES Date: 26/02/2025 Executive Member: \boxtimes (Supply data) Click here to enter text. Failure Analysis, DPA, NCCS available: Yes No Ref. No's and purposes: Click here to enter text. The undersigned hereby certifies on behalf of the ESCC Executive - that the above information is correct; - that the appropriate documentation has been evaluated; - that full compliance to all ESCC requirements is evidence except as stated in box 15; - that the reports and data are available at the ESCC Executive and therefore applies on behalf of CNES as the responsible Executive Member for ESCC qualification status to be extended to the component(s) listed herein. Fontaine CNES Lya L Fontaine, CNES Lya L Fontaine, CNES Lya 26/02/2025 ((Signature of the Executive Coordinator) Continuation of Boxes above:

Page 2

Appl. No.

07V

12

13

14

APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL

Component title: POLYIMIDE INSULATED WIRES AND CABLES, LOW FREQUENCY, 600V, -100 to 200 $^{\circ}\mathrm{C}$

Date: 26/02/2025

Appl. No.

Page 3

		Executive	Welliber. CNES	Date. 20/02/2023	070	
Noncomp	pliance to ESCC requirements:				13	
No:	Specification		Paragraph	Non compliance		
No.:	Specification		raiagiapii	Non compila	ince	
Additiona	al tasks required to achieve full co	mpliance for E	ESCC qualification or rationale for acceptability	of	14	
noncomp	liance:		·		14	
Executive	e Manager Disposition				45	
		No 🗆			15	
Action / R						
				2 Q 1		
Date: (Click here to enter a date.			B. Schade: Head of the Qual	ity Department	



APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL

Component title:

POLYIMIDE INSULATED WIRES AND CABLES, LOW FREQUENCY, 600V, -100 to 200 $^{\circ}\mathrm{C}$

Executive Member: CNES

Date: 26/02/2025

Page 4 Appl. No.

07V

NOTES ON THE COMPLETION OF THE APPLICATION FORM FOR ESCC QUALIFICATION EXTENSION APPROVAL

ENTRIES Form heading	shall indicate: - the title of the component as given in its detail specification or the name of the series, family; - the Executive Member; - the entering date; - the certificate number and its sequential suffix.
Box 1	shall provide details given in the table; in particular there shall be listed: - the variants or range of variants; - the range of components (the ESCC code is recommended to indicate the values or values range, the tolerance, the voltage, etc); the designation given in the detail specification as 'base on'; - under Test Vehicle enter either an ESCC code or the specific characteristic capable of identifying the component tested (e.g., voltage of coil for a relay); - under component similar enter a cross if relevant.
Box 2; 3 and 4	As per QPL entry; otherwise, an explanation of the changes must be supplied.
Box 5	Will show the ESCC Generic and Detail specifications, including issue number and revision letter, current at the time the tests reported were performed. If the specifications are different from those current on the date of the application, see Box 6.
Box 6	Will show the deviations from the Generic and Detail Specifications listed in Box 5, in particular deviations from testing. In case of deviations this must be listed in Box 15. In case the referenced specification in Box 5 have currently a different issue and/or revision indicate also whether the test data deviates or not from such current documents.
Box 7	Must reference the report(s) supplied in support of the application.
Box 8	Should provide details of procurement to the full ESCC System, documentation of all of which should already have been delivered to the ESCC Executive under the terms of the relevant Generic Specification. An appropriate table has been drawn in this box.
Box 9	If the PID evolved after the Original Qualification or after the last Extension of Qualification, adequate details of such evolution shall be provided together with the reasons for the changes. Major changes shall be clearly marked.
Box 10	Identify the current PID issue status, date and actual date of verification. The date of verification of the current PID should be arranged as close as possible to the required date of extension.
Box 11	This box can be completed only after a physical visit to the plant to confirm that no unexplained changes occurred and that the practices, procedures, material, etc. used in manufacturing the components are as described in the PID. This survey shall be carried out in accordance with the requirements of ESCC Basic Specification No. 20200 and its findings shall be recorded.
Box 12	Provide details of, or reference to, any Destructive Physical Analysis (DPA) and Failure Analysis reports as well as any Nonconformance(s) (NCCS) occurred during the qualification validity period, stating if established corrective action have produced satisfactory results.
Box 13	Enter only the name of the Executive Member (i.e., CNES, DLR, ESTEC, etc.) and the signature of the responsible Executive Coordinator.
Box 14	To be used when there is a need to expand any of the boxes from 1 through 12. Identify box affected and reference the Box 14 in the relevant Box. Box 14 can be broken into 14a, 14b, etc. if several boxes have to be expanded.
Box 15	State noncompliance with reference to specification(s) and paragraph(s). To simplify reference in Box 16 each nonconformance shall be sequentially numbered. If relevant state 'None'.
Box 16	Any additional action deemed necessary by the Executive Member to bring the submitted data to a standard likely to be accepted by the ESCC Executive should be listed herein or the reason(s) to accept the noncompliance.
Box 17	All Executive Manager recommendations on the application itself, special conditions or restrictions, modifications of the QPL entry, letters to the manufacturer, etc. shall be entered clearly in Box 17, signed by the representative for ESA, and dated.