

Component Title: Capacitors, Ceramic, Type II, types CNC 31 to CNC 34

Page 1 Appl. No.

		E	xecutive Memb	er:	CNES	3			D	ate: 31/07/2	024	3150	}
Components (includi	ng series and famili	ies) sı	ubmitted for Ext	ension	of Qu	ualification	n Approval:						1
ESCC COMPONENT VARIANTS NO.		RANGE OF COMPONENTS			В	BASED ON		VE	TEST HICLE / S	COMPO			
3001/037 01 to 04			All values, 16 and 25V				CNC3>	CNC3xNE		3001037033	36KX		
05 to 08			All values, 16 and 25V			CNC3	CNC3xPE		3001037055 3001037051 3001037071	26KX			
09 to 12			All values, 16 and 25V			CNC3	CNC3xPLE				×		
	13 to 16		All values, 16 and 25V			CNC3	CNC3xLE				Х		
Component M	anufacturer	2	Location	of Ma	nufac	turing Pla	nt(s)	3					4
Component Manufacturer 2 EXXELIA Technologies			Location of Manufacturing Plant(s) 1, rue des Temps Modernes 77600 CHANTELOUP EN BRIE FRANCE				Date of original qualification approval: Date: 15/11/2011						
									Ceru	ficate Ref No.	315		
ESCC Specifications Maintenance of quali		5	Deviations to LVT testing and Detail Specification			Qualification Extension Report reference and date:			7				
Generic: 3001	Issue 5		used: No ⊠ Yes □ (supply details in Box				Вох	reiei	ence and date.				
			_	15)									
Detail(s): 3001/03	7 Issue 4		Deviation from current Specifications: No ⊠ Yes □ (Supply details)										
			NO 🖂	163		(Ойррі	y details)						
			L										8
Summary of procure	ment or equivalent	test re	esults during cu	rrent va	alidity	period in	support of t	his ap	plication	on (those to ES	CC listed first)		
User Name Testing Level			LAT Date code			Э			Quantity Delive	ered			
TESAT Spacecom (0 Thales Alenia Sp. (It			-							827 parts			
PID changes since s	tart of qualification		I	9	Cui	rrent PID	Verified by	/:		CNE	S		10
None 🗵									N	lame of Excutiv	e Representative		
Minor* □					Ref	f No:	640.03.39	00					
Major* ☐ *Provide details in box:			Issue: I						Date:	22/04/2	024		
					Re	v Date:	01/11/202	23					_
Current Manufacturir	ng facilities surveve	d bv			F	SA and C	NES		or	n	13/10/202	23	11
	.9 .46	u ~ y .		(Name			Representa	tive)	٥.		(Date)		
Satisfactory:	Yes ⊠		No 🗆	•	plain		ew of ceran	-	tivities		, ,		
Report Reference:		CC Audit hanteloup-En-											

	APPLICATI	ION FOR EXT	ENSION OF ES	SCC QUALIFICA	TION APPROVAL	Page	2
ESCC	Component title:	Capacitors,	Ceramic, Type	II, types CNC 3	1 to CNC 34	Appl. N	No.
	Executive Member:	CNES		Date	e: 31/07/2024	3150	3
Failure Analysis, DPA, NCCS ava	ailable: Yes	□ No	⊠ (Sup	ply data)			12
Ref. No's and purposes:							
The undersigned hereby certifies on behalf that the appropriate documentation has bee (except as stated in box 15;) - that the repo CNES as the responsible Executive Member	en evaluated; - that ful orts and data are availa	I compliance to able at the ES0	o all ESCC requ CC Executive a	uirements is evidend therefore apple	lies on behalf of		13
Date: 31/07/2025				Signature numérique de Fontaine Lya Date: 2025.07.31	Lya Fontaine (Signature of the Executive 0		
Continuation of Boxes above:			of	15.02.29 +02'00'			14

ESCC

Capacitors, Ceramic, Type II, types CNC 31 to CNC 34 Component title:

CNES Executive Member: Date: 31/07/2024

Page 3 Appl. No. 315G

Non com	pliance to ESCC requirements:			10
No.:	Specification	Paragraph	Non compliance	
				ı
Additiona noncomp	I tasks required to achieve full compliance for liance:	ESCC qualification or rationale for acceptability	of	16
Executive	Manager Disposition			
EXOCULIVE	Manager Disposition			17
Application	on Approval: Yes X No □			
Action / R	Remarks:			
			2 /	
			Al. Zadih	
Date:	30 August 2025		MM. Car on	
			A. Zadeh: Head of the Avionics and EEE Di	vision



Component Title: Capacitors, Ceramic, Type II, types CNC 31 to CNC 34

31/07/2024 Executive Member: CNES Date:

Page 4 Appl. No. 315G

ANNEX 1: LIST OF TESTS DONE TO SUPPORT EXTENSION OF QUALIFICATION

Tests conducted in compliance with:

ESCC 3001 generic specification; Chart F4 (for ESCC/QPL parts); PID- (for ESCC/QML parts)
TFD (for ESCC/QML parts)

Tests vehicle identification/description:

CNC31 P E 5.6µF 10% 25V	300103705565KA	DC2441
CNC31 P E 12µF 10% 16V	300103705126KX	DC2428
CNC33 N E 33µF 10% 16V	300103703336KX	DC2429
CNC33 P E 15µF 10% 16V	300103707156KX	DC2345

Detail Specification reference:

3001/037 iss. 4

Chart F4		Test	Tick when done	Conditions	Date Code	Tested Qty	N° of Rejects	Comments if not performed. Comments on Rejection
		Rapid Change of Temperature	×	IEC 60068-2-14, test Na	2441 2345	20 20	0	
	A	Steady State Humidity (85/85) 1 000H	×	ESCC 3001, Para 8.2	2441 2345	20 20	0	
—		External Visual Inspection	×	ESCC 20500	2441 2345	20 20	0	
Subgroup		Rapid Change Of Temperature	×	IEC 60068-2-14, test Na	2441 2429 2345	6 6 6	0	
S	В	Vibration	×	IEC 60068-2-6, test Fc	2441 2429 2345	6 6 6	0	
		Shock	×	IEC 60068-2-27, test Ea	2441 2429 2345	6 6 6	0	
		External Visual Inspection	×	ESCC 20500	2441 2429 2345	6 6 6	0	
oup 2	∢	Operating Life	×	IEC 60384-1 clause 4.23	2441 2428 2429 2345	20 20 20 20 20	0	
Subgroup	В	Capacitance- Temperature Characteristic	×	ESCC 3001, Para 8.13	2441 2428 2429 2345	6 6 6	0	
	3	Solderability	\boxtimes	IEC 60068-2-20, test Ta	2441 2429 2345	6 6 6	0	
	Subgroup 3	Resistance to Soldering Heat	×	IEC 60068-2-20, test Tb	2441 2429 2345	6 6 6	0	
	S	Permanence of marking	×	ESCC 24800	2441 2429 2345	6 6 6	0	
-	ā						_	
3	Additional							
•	,							

18



Component title: Capacitors, Ceramic, Type II, types CNC 31 to CNC 34

Executive Member: CNES Date: 31/07/2024

Page 6

Appl. No.

NOTES ON THE COMPLETION OF THE APPLICATION FORM FOR ESCC QUALIFICATION EXTENSION APPROVAL

ENTRIES	
Form heading	shall indicate: - the title of the component as given in its detail specification or the name of the series, family; - the Executive Member; - the entering date; - the certificate number and its sequential suffix.
Box 1	shall provide details given in the table; in particular there shall be listed: - the variants or range of variants; - the range of components (the ESCC code is recommended to indicate the values or values range, the tolerance, the voltage, etc); the designation given in the detail specification as 'base on'; - under Test Vehicle enter either an ESCC code or the specific characteristic capable of identifying the component tested (e.g., voltage of coil for a relay); - under component similar enter a cross if relevant.
Box 2; 3 and 4	As per QPL entry; otherwise, an explanation of the changes must be supplied.
Box 5	Will show the ESCC Generic and Detail specifications, including issue number and revision letter, current at the time the tests reported were performed. If the specifications are different from those current on the date of the application, see Box 6.
Box 6	Will show the deviations from the Generic and Detail Specifications listed in Box 5, in particular deviations from testing. In case of deviations this must be listed in Box 15. In case the referenced specification in Box 5 have currently a different issue and/or revision indicate also whether the test data deviates or not from such current documents.
Box 7	Must reference the report(s) supplied in support of the application.
Box 8	Should provide the details of procurement to the full ESCC System, documentation of all of which should already have been delivered to the ESCC Executive under the terms of the relevant Generic Specification. An appropriate table has been drawn in this box.
Box 9	If the PID evolved after the Original Qualification or after the last Extension of Qualification, adequate details of such evolution shall be provided together with the reasons for the changes. Major changes shall be clearly marked.
Box 10	Identify the current PID issue status, date and actual date of verification. The date of verification of the current PID should be arranged as close as possible to the required date of extension.
Box 11	This box can be completed only after a physical visit to the plant to confirm that no unexplained changes occurred and that the practices, procedures, material, etc. used in manufacturing the components are as described in the PID. This survey shall be carried out in accordance with the requirements of ESCC Basic Specification No. 20200 and its findings shall be recorded.
Box 12	Provide details of, or reference to, any Destructive Physical Analysis (DPA) and Failure Analysis reports as well as any Nonconformance(s) (NCCS) occurred during the qualification validity period, stating if established corrective action have produced satisfactory results.
Box 13	Enter only the name of the Executive Member (i.e., CNES, DLR, ESTEC, etc.) and the signature of the responsible Executive Coordinator.
Box 14	To be used when there is a need to expand any of the boxes from 1 through 12. Identify box affected and reference the Box 14 in the relevant Box. Box 14 can be broken into 14a, 14b, etc. if several boxes have to be expanded.
Box 15	Fill in Table as requested.
Box 16	Any additional action deemed necessary by the Executive Member to bring the submitted data to a standard likely to be accepted by the ESCC Executive should be listed herein or the reason(s) to accept the noncompliance.
Box 17	All Executive Manager recommendations on the application itself, special conditions or restrictions, modifications of the QPL or QML entry, letters to the manufacturer, etc. shall be entered clearly in Box 19, signed by the representative for ESA, and dated.
Box 18	Fill in Table as requested.
Box 19	Confidential Details of PID changes including those of a confidential nature, shall be provided.
Box 20	State noncompliance with reference to specification(s) and paragraph(s). To simplify reference in Box 16 each nonconformance shall be sequentially numbered. If relevant state 'None'.
Box 21	Any additional action deemed necessary by the Executive Member to bring the submitted data to a standard likely to be accepted by the ESCC Executive should be listed herein or the reason(s) to accept the noncompliance.
Box 22	Additional Comments.