



APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL

Page 1

Component Title: DIODES, MICROWAVE, SILICON, SCHOTTKY, GENERAL PURPOSE, BASED ON TYPES BAS40-xx, BAS70-xx, BXY42-xx, BXY43-xx, BXY44-xx

Appl. No.

Executive Member: German Space Agency at DLR Date: 20/10/2025

227L

Components (including series and families) submitted for Extension of Qualification Approval:

1

ESCC COMPONENT NO.	VARIANTS	RANGE OF COMPONENTS	BASED ON	TEST VEHICLE / S	COMPONENT SIMILAR
5512/020	01, 03, 04, 05		BAS70-xx, BAS40-xx; BXY42-xx; BXY43-xx, BXY44-xx	BAS70-T1(ES)	X
5513/017	01, 02, 03				
5513/030	01, 02, 05, 06, 09, 10				

Component Manufacturer Infineon Technologies AG	2	Location of Manufacturing Plant(s) Villach, Austria and Regensburg, Germany for Silicon Neubiberg, Germany for packing and screening	3	Date of original qualification approval: Date: 1996 Certificate Ref No. 227, initial: Sept. 1996	4
ESCC Specifications used for Maintenance of qualification testing: Generic: 5010 Issue: 3 Detail(s): 5512/020 Issue: 6	5	Deviations to LVT testing and Detail Specification used: No <input checked="" type="checkbox"/> Yes <input type="checkbox"/> (supply details in Box 15) Deviation from current Specifications: No <input checked="" type="checkbox"/> Yes <input type="checkbox"/> (Supply details)	6	Qualification Extension Report reference and date: 2231LR10, Iss. 1a, Sep. 2025	7

Summary of procurement or equivalent test results during current validity period in support of this application (those to ESCC listed first)					8
Project Name	Testing Level	LAT	Date code	Quantity Delivered	
Confidential					

PID changes since start of qualification		9	Current PID	Verified by:	Burak Gökgöz, German Space Agency at DLR	10
None	<input type="checkbox"/>				Name of Executive Representative	
Minor*	<input checked="" type="checkbox"/>				Generic PID: A63500-GEPID-P000, Issue 2i, 25.09.2025	
Major*	<input type="checkbox"/>	*Provide details in box: See Annex 2 / Confidential			BASxx Detail PID: A63500-D329-P000, Issue 4, 13.10.2021	
					BXYxx Detail PID: A63500-D336-P000, Issue 4, 13.10.2021	

Current Manufacturing facilities surveyed by:	Burak Gökgöz, German Space Agency at DLR	on	24-25/09/2025	11
		(Name of Executive Representative)		(Date)
Satisfactory:	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	Explain	
Report Reference: <u>INFINEON-AUD-DLR-09-2025</u>				

**APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL**

Page 2

Component title: DIODES, MICROWAVE, SILICON, SCHOTTKY, GENERAL PURPOSE,
BASED ON TYPES BAS40-xx, BAS70-xx, BXY42-xx, BXY43-xx,
BXY44-xx

Appl. No.

Executive Member: German Space Agency at DLR Date: 20/10/2025

227L

12

Failure Analysis, DPA, NCCS available: Yes No (Supply data)

Ref. No's and purposes:

13

The undersigned hereby certifies on behalf of the ESCC Executive - that the above information is correct; - that the appropriate documentation has been evaluated; - that full compliance to all ESCC requirements is evidence (except as stated in box 15;) - that the reports and data are available at the ESCC Executive and therefore applies on behalf of DLR as the responsible Executive Member for ESCC qualification status to be extended to the component(s) listed herein.

Date: 10/12/2025

**Burak
Gökgöz**


Digital signiert von Burak Gökgöz
DN: PostalCode=51147, O=Deutsches
Zentrum fuer Luft- und Raumfahrt e. V.
(DLR), STREET=Linder Höhe, S= Nordrhein-Westfalen, C=DE, CN=Burak Gökgöz, E=burak.goekeoz@dlr.de
Grund: Ich bin der Verfasser dieses Dokuments
Ort: Bonn
Datum: 2025.12.10 17:38:05+01'00'
Foxit PDF Editor Version: 14.0.1

Burak Gökgöz, German Space Agency at DLR

(Signature of the Executive Coordinator)

Continuation of Boxes above:

14

	APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL		Page 3
Component title: DIODES, MICROWAVE, SILICON, SCHOTTKY, GENERAL PURPOSE, BASED ON TYPES BAS40-xx, BAS70-xx, BXY42-xx, BXY43-xx, BXY44-xx Executive Member: German Space Agency at DLR		Appl. No. 227L	
Non compliance to ESCC requirements:			15
No.:	Specification	Paragraph	Non compliance
Additional tasks required to achieve full compliance for ESCC qualification or rationale for acceptability of noncompliance:			16
Executive Manager Disposition			17
Application Approval: Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Action / Remarks:			
Date: 31/12/2025			 A. Zadeh: Head of the Avionics and EEE Division


APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL

 Component Title: DIODES, MICROWAVE, SILICON, SCHOTTKY, GENERAL PURPOSE,
 BASED ON TYPES BAS40-xx, BAS70-xx, BXY42-xx, BXY43-xx,
 BXY44-xx

Executive Member: German Space Agency at DLR

Date: 20/10/2025

Page 4

Appl. No.

227L

ANNEX 1: LIST OF TESTS DONE TO SUPPORT EXTENSION OF QUALIFICATION

18

Tests conducted in compliance with:

- ESCC 5010 generic specification; Chart F4A (for ESCC/QPL parts)

Tests vehicle identification/description:

2231LR10, 2516A

 BAS70-T1(ES), EnvMechSG, EndSG, AssCapSG,
 DecapSG

Detail Specification reference: 5512/020

Chart F4A	Test	Tick when done	Conditions	Date Code	Tested Qty	No. of Rejects	Comments if not performed. Comments on Rejection
Environmental/Mechanical Subgroups	Thermal Shock Test	<input checked="" type="checkbox"/>	ESCC 5010 Para. 9.5.2	2516A	12	0	MIL-STD-202 Method 107 acc. Detail Spec
	Shock Test	<input type="checkbox"/>	MIL-STD-750 Test Method 2016				n.a. acc. Detail Spec
	Vibration Test	<input type="checkbox"/>	MIL-STD-750 Test Method 2056				n.a. acc. Detail Spec
	Constant Acceleration	<input type="checkbox"/>	MIL-STD-750 Test Method 2006				n.a. acc. Detail Spec
	Seal Test	<input type="checkbox"/>	MIL-STD-750 Test Method 1071				n.a. acc. Detail Spec
	Moisture Resistance	<input checked="" type="checkbox"/>	MIL-STD-750 Test Method 1021	2516A	12	0	
	Seal Test	<input checked="" type="checkbox"/>	MIL-STD-750 Test Method 1071	2516A	12	0	
	Electrical Measurements at Room Temp.	<input checked="" type="checkbox"/>	Table 2 of the Detail Specification	2516A	12	0	
Endurance Subgroup	External Visual Inspection	<input checked="" type="checkbox"/>	ESCC Basic Specification No. 20500	2516A	12	0	
	Operating Life	<input checked="" type="checkbox"/>	MIL-STD-750 Test Method 1026	2516A	17	0	
	Electrical Measurements during Endur. Test	<input checked="" type="checkbox"/>	Table 6 of the Detail Specification	2516A	17	0	
Electrical Subgroup – Assembly Capability Tests	External Visual Inspection	<input checked="" type="checkbox"/>	ESCC Basic Specification No. 20500	2516A	17	0	
	Solderability Test	<input checked="" type="checkbox"/>	MIL-STD-750 Test Method 2026	2516A	5	0	
	Permanence of Marking	<input checked="" type="checkbox"/>	ESCC Basic Specification No. 24800	2516A	5	0	
De-encapsulation Tests	Terminal Strength	<input checked="" type="checkbox"/>	MIL-STD-750 Test Method 2036	2516A	5	0	
	Internal visual inspection	<input checked="" type="checkbox"/>	ESCC Basic Specification No. 20400	2516A	6	0	
	Bond Strength	<input checked="" type="checkbox"/>	MIL-STD-750 Test Method 2037	2516A	6	0	
	Die Shear	<input checked="" type="checkbox"/>	MIL-STD-750 Test Method 2017	2516A	6	0	

	APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL Component title: DIODES, MICROWAVE, SILICON, SCHOTTKY, GENERAL PURPOSE, BASED ON TYPES BAS40-xx, BAS70-xx, BXY42-xx, BXY43-xx, BXY44-xx Executive Member: German Space Agency at DLR Date: 20/10/2025	Page 7 Appl. No. 227L
NOTES ON THE COMPLETION OF THE APPLICATION FORM FOR ESCC QUALIFICATION EXTENSION APPROVAL		
ENTRIES Form heading shall indicate: - the title of the component as given in its detail specification or the name of the series, family; - the Executive Member; - the entering date; - the certificate number and its sequential suffix.		
Box 1	shall provide details given in the table; in particular there shall be listed: - the variants or range of variants; - the range of components (the ESCC code is recommended to indicate the values or values range, the tolerance, the voltage, etc); the designation given in the detail specification as 'base on'; - under Test Vehicle enter either an ESCC code or the specific characteristic capable of identifying the component tested (e.g., voltage of coil for a relay); - under component similar enter a cross if relevant.	
Box 2; 3 and 4	As per QPL entry; otherwise, an explanation of the changes must be supplied.	
Box 5	Will show the ESCC Generic and Detail specifications, including issue number and revision letter, current at the time the tests reported were performed. If the specifications are different from those current on the date of the application, see Box 6.	
Box 6	Will show the deviations from the Generic and Detail Specifications listed in Box 5, in particular deviations from testing. In case of deviations this must be listed in Box 15. In case the referenced specification in Box 5 have currently a different issue and/or revision indicate also whether the test data deviates or not from such current documents.	
Box 7	Must reference the report(s) supplied in support of the application.	
Box 8	Should provide the details of procurement to the full ESCC System, documentation of all of which should already have been delivered to the ESCC Executive under the terms of the relevant Generic Specification. An appropriate table has been drawn in this box.	
Box 9	If the PID evolved after the Original Qualification or after the last Extension of Qualification, adequate details of such evolution shall be provided together with the reasons for the changes. Major changes shall be clearly marked.	
Box 10	Identify the current PID issue status, date and actual date of verification. The date of verification of the current PID should be arranged as close as possible to the required date of extension.	
Box 11	This box can be completed only after a physical visit to the plant to confirm that no unexplained changes occurred and that the practices, procedures, material, etc. used in manufacturing the components are as described in the PID. This survey shall be carried out in accordance with the requirements of ESCC Basic Specification No. 20200 and its findings shall be recorded.	
Box 12	Provide details of, or reference to, any Destructive Physical Analysis (DPA) and Failure Analysis reports as well as any Nonconformance(s) (NCCS) occurred during the qualification validity period, stating if established corrective action have produced satisfactory results.	
Box 13	Enter only the name of the Executive Member (i.e., CNES, DLR, ESTEC, etc.) and the signature of the responsible Executive Coordinator.	
Box 14	To be used when there is a need to expand any of the boxes from 1 through 12. Identify box affected and reference the Box 14 in the relevant Box. Box 14 can be broken into 14a, 14b, etc. if several boxes have to be expanded.	
Box 15	Fill in Table as requested.	
Box 16	Any additional action deemed necessary by the Executive Member to bring the submitted data to a standard likely to be accepted by the ESCC Executive should be listed herein or the reason(s) to accept the noncompliance.	
Box 17	All Executive Manager recommendations on the application itself, special conditions or restrictions, modifications of the QPL or QML entry, letters to the manufacturer, etc. shall be entered clearly in Box 19, signed by the representative for ESA, and dated.	
Box 18	Fill in Table as requested.	
Box 19	Confidential Details of PID changes including those of a confidential nature, shall be provided.	
Box 20	State noncompliance with reference to specification(s) and paragraph(s). To simplify reference in Box 16 each nonconformance shall be sequentially numbered. If relevant state 'None'.	
Box 21	Any additional action deemed necessary by the Executive Member to bring the submitted data to a standard likely to be accepted by the ESCC Executive should be listed herein or the reason(s) to accept the noncompliance.	
Box 22	Additional Comments.	