



APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL

Component Title: CONNECTORS, ELECTRICAL, RECTANGULAR, NON REMOVABLE SOLDER BUCKET, PCB AND WIRE-WRAP CONTACTS AND REMOVABLE COAXIAL AND POWER CONTACTS, BASED ON TYPE D*M

Executive Member: CNES

Date: 30/01/2026

Page 1

Appl. No.

71V

Components (including series and families) submitted for Extension of Qualification Approval:

1

ESCC COMPONENT NO.	VARIANTS	RANGE OF COMPONENTS	BASED ON	TEST VEHICLE / S	COMPONENT SIMILAR
3401/001	01	Shell size : E, A, B, C, D, Standard density layout : 9, 15, 25,37, 50 size 20 contacts Mounting Type: standard mounting holes; floating mount; captive nuts Termination contacts : solder bucket, straigh PCB, 90° PCB, wire wrap All Combined contacts arrangements from 5W1 to 47W1	D*M	See test reports D250155C D250157C	D*MA
3401/001	02	Shell size : E, A, B, C, D, F High density layout : 15, 26, 44, 62,78, 104 size 22 contacts Mounting Type: standard mounting holes; floating mount; captive nuts Termination contacts : solder bucket, straigh PCB, 90° PCB, wire wrap			
3401/004	01 to 25	Contacts Coaxial			
3401/022	01 to 59 and 65 to 97	Accessories			
3401/040	01 to 17	Contacts Power			
3401/072	05 to 39 46 to 65 and 72 to 159	Lightweight accessories			
3401/080	01 to 25	Connectors Savers			


Component Manufacturer C&K Connect	2	Location of Manufacturing Plant(s) 2 rue Berthollet 39105 DOLE Cedex France	3	Date of original qualification approval: Date: 12/02/1981 Certificate Ref No. 71	4
---------------------------------------	---	--	---	--	---

ESCC Specifications used for Maintenance of qualification testing: Generic: 3401 Issue: 5 Detail(s): 3401/001 Issue: 13 3401/004 4 3401/022 14 3401/040 7 3401/072 11 3401/080 4	5	Deviations to LVT testing and Detail Specification used: No <input checked="" type="checkbox"/> Yes <input type="checkbox"/> (supply details in Box 15) Deviation from current Specifications: No <input checked="" type="checkbox"/> Yes <input type="checkbox"/> (Supply details)	6	Qualification Extension Report reference and date: PV D250155C 19/03/2025 (connectors test report) PV D250157C 19/03/2025 (contacts test report)	7
--	---	--	---	---	---

Summary of procurement or equivalent test results during current validity period in support of this application (those to ESCC listed first)

8

Project Name	Testing Level	LAT	Date code	Quantity Delivered
See ventes2023_2024_202 5.xls				

PID changes since start of qualification	9	Current PID Verified by: <u>Nouals François</u>	10
None <input type="checkbox"/>		Name of Executive Representative	
Minor* <input checked="" type="checkbox"/>		Ref No: CS-FR030 & CS-FR037	
Major* <input type="checkbox"/>	*Provide details in box:	Issue: 2 rev T & 1 rev H	Date: 25/09/2023
	19	Rev Date: 15/09/2025	
Current Manufacturing facilities surveyed by:		<u>Nouals François</u>	on 17/09/2025
		(Name of Executive Representative)	
Satisfactory:	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	Explain
Report Reference:	<u>Visite du 17/09/2025</u>		
			
		11	



APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL

Component title: CONNECTORS, ELECTRICAL, RECTANGULAR, NON
REMOVABLE SOLDER BUCKET, PCB AND WIRE-WRAP
CONTACTS AND REMOVABLE COAXIAL AND POWER CONTACTS,
BASED ON TYPE D*M

Executive Member: CNES

Date: 30/01/2026

Page 2

Appl. No.

71V

12


Failure Analysis, DPA, NCCS available: Yes No (Supply data)

Ref. No's and purposes:

13

The undersigned hereby certifies on behalf of the ESCC Executive - that the above information is correct; -
that the appropriate documentation has been evaluated; - that full compliance to all ESCC requirements is evidence
(except as stated in box 15;) - that the reports and data are available at the ESCC Executive and therefore applies on behalf of
..... as the responsible Executive Member for ESCC qualification status to be extended to the component(s) listed herein.

Date: 30/01/2026


Signature
numérique de
Fontaine Lya
Date : 2026.02.02
11:15:35 +01'00'

L. FONTAINE

(Signature of the Executive Coordinator)

14

Continuation of Boxes above:



APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL

Component title: CONNECTORS, ELECTRICAL, RECTANGULAR, NON REMOVABLE SOLDER BUCKET, PCB AND WIRE-WRAP CONTACTS AND REMOVABLE COAXIAL AND POWER CONTACTS, BASED ON TYPE D*M

Executive Member: CNES

Date: 30/01/2026

Page 3

Appl. No.

71V

Non compliance to ESCC requirements:

15

No.:	Specification	Paragraph	Non compliance

Additional tasks required to achieve full compliance for ESCC qualification or rationale for acceptability of noncompliance:

16

Executive Manager Disposition

17

Application Approval: Yes No

Action / Remarks:

Date: 27/02/2026

A. Zadeh: Head of the Avionics and EEE Division



APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL

Component Title: CONNECTORS, ELECTRICAL, RECTANGULAR, NON REMOVABLE SOLDER BUCKET, PCB AND WIRE-WRAP CONTACTS AND REMOVABLE COAXIAL AND POWER CONTACTS, BASED ON TYPE D*M

Executive Member: CNES

Date: 30/01/2026

Page 4

Appl. No.

71V

ANNEX 1: LIST OF TESTS DONE TO SUPPORT EXTENSION OF QUALIFICATION

18

Tests conducted in compliance with:

- ESCC 3401 generic specification; Chart V (for ESCC/QPL parts);
- Or PID-TFD (for ESCC/QML parts)

Tests vehicle identification/description:

DEM9PNMBOL3, DBM44SNMB1C7N, DDM50PNMBZ	Environmental and Mechanical Subgroup
DAM26SNMBOL3, DCM8W8PNMB, DCM8W8SNMB	Endurance Subgroup

Detail Specification reference: 3401/001

Chart V	Test	Tick when done	Conditions	Date Code	Tested Qty	No. of Rejects	Comments if not performed. Comments on Rejection
Environmental and Mechanical Subgroup	Wiring	<input checked="" type="checkbox"/>	ESCC 3401 Para. 9.10	2503A 2505A	3	0	
	Climatic Sequence	<input checked="" type="checkbox"/>	ESCC 3401 Para. 9.13	2503A 2505A	3	0	
	Permanence of Marking	<input checked="" type="checkbox"/>	ESCC 24800	2503A 2505A	3	0	
	Corrosion	<input checked="" type="checkbox"/>	IEC Publication No. 68-2-11	2503A 2505A	3	0	
	Seal Test	<input type="checkbox"/>	ESCC 3401 Para. 9.9				Not applicable
	Plating Thickness	<input checked="" type="checkbox"/>	ESCC 3401 Para. 5.2.3	2503A 2505A	3	0	
Endurance Subgroups	Wiring	<input checked="" type="checkbox"/>	ESCC 3401 Para. 9.10	2503A 2506A	3	0	
	Rapid change of Temperature	<input checked="" type="checkbox"/>	ESCC 3401 Para. 9.16	2503A 2506A	3	0	
	Contact Retention	<input checked="" type="checkbox"/>	ESCC 3401 Para. 9.17	2503A 2506A	10 cts Z +2x 12 cts Solder		
	Maintenance Ageing	<input checked="" type="checkbox"/>	ESCC 3401 Para. 9.27	2503A 2506A	2 x 8 cts	0	Only applicable to 8W8 connectors
	Endurance	<input checked="" type="checkbox"/>	ESCC 3401 Para. 9.18	2503A 2506A	3	0	
	Seal Test	<input type="checkbox"/>	ESCC 3401 Para. 9.9				Not applicable
	Joint Strength	<input checked="" type="checkbox"/>	ESCC 3401 Para. 9.15	2503A 2506A	3	0	
	Engage/Separ. Forces	<input checked="" type="checkbox"/>	ESCC 3401 Para. 9.28	2503A 2506A	80	0	
	Oversize Pin Exclusion	<input checked="" type="checkbox"/>	ESCC 3401 Para. 9.29	2503A 2506A	50	0	
Probe Damage	<input checked="" type="checkbox"/>	IEC Publication No. 512-8	2503A 2506A	50	0		
Additional Tests		<input type="checkbox"/>					
		<input type="checkbox"/>					
		<input type="checkbox"/>					



APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL

Component title: CONNECTORS, ELECTRICAL, RECTANGULAR, NON REMOVABLE SOLDER BUCKET, PCB AND WIRE-WRAP CONTACTS AND REMOVABLE COAXIAL AND POWER CONTACTS, BASED ON TYPE D*M

Executive Member: CNES Date: 30/01/2026

Page 6

Appl. No.

71V

NOTES ON THE COMPLETION OF THE APPLICATION FORM FOR ESCC QUALIFICATION EXTENSION APPROVAL

ENTRIES

- Form heading shall indicate: - the title of the component as given in its detail specification or the name of the series, family; - the Executive Member; - the entering date; - the certificate number and its sequential suffix.
- Box 1** shall provide details given in the table; in particular there shall be listed: - the variants or range of variants; - the range of components (the ESCC code is recommended to indicate the values or values range, the tolerance, the voltage, etc); the designation given in the detail specification as 'base on'; - under Test Vehicle enter either an ESCC code or the specific characteristic capable of identifying the component tested (e.g., voltage of coil for a relay); - under component similar enter a cross if relevant.
- Box 2; 3 and 4** As per QPL entry; otherwise, an explanation of the changes must be supplied.
- Box 5** Will show the ESCC Generic and Detail specifications, including issue number and revision letter, current at the time the tests reported were performed. If the specifications are different from those current on the date of the application, see Box 6.
- Box 6** Will show the deviations from the Generic and Detail Specifications listed in Box 5, in particular deviations from testing. In case of deviations this must be listed in Box 15. In case the referenced specification in Box 5 have currently a different issue and/or revision indicate also whether the test data deviates or not from such current documents.
- Box 7** Must reference the report(s) supplied in support of the application.
- Box 8** Should provide the details of procurement to the full ESCC System, documentation of all of which should already have been delivered to the ESCC Executive under the terms of the relevant Generic Specification. An appropriate table has been drawn in this box.
- Box 9** If the PID evolved after the Original Qualification or after the last Extension of Qualification, adequate details of such evolution shall be provided together with the reasons for the changes. Major changes shall be clearly marked.
- Box 10** Identify the current PID issue status, date and actual date of verification. The date of verification of the current PID should be arranged as close as possible to the required date of extension.
- Box 11** This box can be completed only after a physical visit to the plant to confirm that no unexplained changes occurred and that the practices, procedures, material, etc. used in manufacturing the components are as described in the PID. This survey shall be carried out in accordance with the requirements of ESCC Basic Specification No. 20200 and its findings shall be recorded.
- Box 12** Provide details of, or reference to, any Destructive Physical Analysis (DPA) and Failure Analysis reports as well as any Nonconformance(s) (NCCS) occurred during the qualification validity period, stating if established corrective action have produced satisfactory results.
- Box 13** Enter only the name of the Executive Member (i.e., CNES, DLR, ESTEC, etc.) and the signature of the responsible Executive Coordinator.
- Box 14** To be used when there is a need to expand any of the boxes from 1 through 12. Identify box affected and reference the Box 14 in the relevant Box. Box 14 can be broken into 14a, 14b, etc. if several boxes have to be expanded.
- Box 15** Fill in Table as requested.
- Box 16** Any additional action deemed necessary by the Executive Member to bring the submitted data to a standard likely to be accepted by the ESCC Executive should be listed herein or the reason(s) to accept the noncompliance.
- Box 17** All Executive Manager recommendations on the application itself, special conditions or restrictions, modifications of the QPL or QML entry, letters to the manufacturer, etc. shall be entered clearly in Box 19, signed by the representative for ESA, and dated.
- Box 18** Fill in Table as requested.
- Box 19** Confidential Details of PID changes including those of a confidential nature, shall be provided.
- Box 20** State noncompliance with reference to specification(s) and paragraph(s). To simplify reference in Box 16 each nonconformance shall be sequentially numbered. If relevant state 'None'.
- Box 21** Any additional action deemed necessary by the Executive Member to bring the submitted data to a standard likely to be accepted by the ESCC Executive should be listed herein or the reason(s) to accept the noncompliance.
- Box 22** Additional Comments.