

		APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL			Page 1	
Component Title: RESISTOR, FIXED, CHIP, METAL FOIL BASED ON TYPE SMP-PW, SMS-PW, SMT-PW according to ESCC Det. Spec. 4001/027 and BASED ON TYPE SMR-PW, SMV-PW according to ESCC Det. Spec.4001/028		Executive Member: German Space Agency at DLR			Date: 23/07/2026	
					Appl. No. 285 J	
Components (including series and families) submitted for Extension of Qualification Approval: 1						
ESCC COMPONENT NO.	VARIANTS	RANGE OF COMPONENTS	BASED ON	TEST VEHICLE / S	COMPONENT SIMILAR	
4001/027	01 02 03		SMP-PW (2010) SMS-PW (2512) SMT-PW (2817)	SMP-R010-0.5-PW SMS-R390-1.0-PW SMT-R560-1.0-PW	Variant 04 SMP-PW (2010) Variant 05 SMS-PW (2512) Variant 06 SMT-PW (2817) Variant 07 SMT-PW (2817)	
4001/028	02 02 02		SMV-PW (4723) SMV-PW (4723) SMV-PW (4723)	SMV-R020-0.5-PW SMV-R022-0.5-PW SMV-1R00-0.5-PW	Variant 01 SMR-PW (4723)	
Component Manufacturer 2 Isabellenhütte Heusler GmbH & Co. KG		Location of Manufacturing Plant(s) 3 Eibacher Weg 3-5 34683 Dillenburg Germany		Date of original qualification approval: 4 Date: 24/11/2008 Certificate Ref No. 285		
ESCC Specifications used for Maintenance of qualification testing: 5 Generic: 4001 Issue: 6 Detail(s): 4001/027 Issue: 9 4001/028 6		Deviations to LVT testing and Detail Specification used: 6 No ☐ Yes ☒ (supply details in Box 15) Deviation from current Specifications: No ☒ Yes ☐ (Supply details)		Qualification Extension Report reference and date: 7 Requalification Test Report 2026 Certificate 285H, D-QM-020, 06.07.2026		
Summary of procurement or equivalent test results during current validity period in support of this application (those to ESCC listed first) 8						
Project Name	Testing Level	LAT	Date code	Quantity Delivered		
See Appendix: Confidential: Orders 07/2024 - 06/2026						
PID changes since start of qualification 9 None ☐ Minor* ☐ Major* ☒ *Provide details in box: See Appendix 2, Box 19		Current PID Verified by: Burak Gökgöz, German Space Agency at DLR 10 Name of Executive Representative Ref No: D QS 010 / D QS 011 Issue: Iss. 11 (07/07/2026) / Iss. 12 (07/07/2026) Date: Rev Date:				
Current Manufacturing facilities surveyed by: Burak Gökgöz, German Space Agency at DLR on 04/05/2026 11 (Name of Executive Representative) (Date) Satisfactory: Yes ☒ No ☐ Explain Report Reference: ISA-AUD-DLR-MAY-2026 Issue 1 (Date: 22.05.2026)						

	APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL Component title: RESISTOR, FIXED, CHIP, METAL FOIL BASED ON TYPE SMP-PW, SMS-PW, SMT-PW according to ESCC Det. Spec. 4001/027 and BASED ON TYPE SMR-PW, SMV-PW according to ESCC Det. Spec.4001/028 Executive Member: German Space Agency at DLR Date: 23/07/2026	Page 2 Appl. No. 285 J
12 Failure Analysis, DPA, NCCS available: Yes ☒ No ☐ (Supply data) Ref. No's and purposes: NC1DISA601: SMV- Dift after life test slightly higher then required. Detail Specification ESCC4001/028 updated. Closed. NC1DISA602: SMV - Temperature coefficient ist out of specification. ESCC4001/028 was adjusted iaw DCR 1805. Closed		
13 The undersigned hereby certifies on behalf of the ESCC Executive, that the above information is correct; that the appropriate documentation has been evaluated; that full compliance to all ESCC requirements is evidence except as stated in box 15; that the reports and data are available at the ESCC Executive and therefore applies for ESCC qualification status to be extended to the component(s) listed herein. Date: 07/08/2026  Digital signiert von Burak Goekgoez DN: C=DE, CN=Burak Goekgoez, GN=Burak, L=Koeln, O=Deutsches Zentrum fuer Luft- und Raumfahrt e. V., SN=Goekgoez, ST=Nordrhein- Westfalen, E=burak.goekgoez@dlr.de, organizationIdentifier=VATDE-121965668 Grund: Ich habe dieses Dokument geprüft Ort: Bonn Datum: 2026.08.07 12:00:45+02'00' i.A. Burak Gökgoz (Signature of the ESCC Executive Coordinator)		
14 Continuation of Boxes above: The document "ESCC 4001028 TYP SMV CHANGE OF LACQUER", dated 10-Jul-26, covers the introduction of the new lacquer.		



APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL

Component title: **RESISTOR, FIXED, CHIP, METAL FOIL BASED ON TYPE SMP-PW, SMS-PW, SMT-PW according to ESCC Det. Spec. 4001/027 and BASED ON TYPE SMR-PW, SMV-PW according to ESCC Det. Spec.4001/028**

Executive Member: **German Space Agency at DLR** Date: **23/07/2026**

Page 3

Appl. No.

285 J

Non compliance to ESCC requirements:

15

No.:	Specification	Paragraph	Non compliance
1	ESCC4001/028, Iss.6	Para. 2.6.	R-value drift after Life test for SMV-R330-1.0-PW-exceeded required limit.

Additional tasks required to achieve full compliance for ESCC qualification or rationale for acceptability of noncompliance:

16

NC1DISA601 has been issued to handle the deviation. ESCC4001/028 has ALREADY been updated iaw. DCR1805:

1. SMV-R330-1.0-PW resistor is not any more available according to ESCC4001/028, Iss. 7
2. Life-Test drift has been changed from 0.2% to 0.25% and from 0.2% to 0.4% after 1000 hours and 2000 hours respectively.

NCCS is closed based on MoQ test result and ESCC4001/028 issue 7. No further additional tasks required.

Executive Manager Disposition

17

Application Approval: Yes ☒ No ☐

Action / Remarks:

Date: 31 Aug 2026

A. Zadeh: Head of the Avionics and EEE Division

**APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL**

Component Title: **RESISTOR, FIXED, CHIP, METAL FOIL BASED ON TYPE SMP-PW, SMS-PW, SMT-PW according to ESCC Det. Spec. 4001/027 and BASED ON TYPE SMR-PW, SMV-PW according to ESCC Det. Spec.4001/028**

Executive Member: **German Space Agency at DLR**

Date: **23/07/2026**

Page 4

Appl. No.

285 J

ANNEX 1: LIST OF TESTS DONE TO SUPPORT EXTENSION OF QUALIFICATION

18

Tests conducted in compliance with:

- ESCC 4001 generic specification; Chart F4 (for ESCC/QPL parts);
- or PID-TFD (for ESCC/QML parts)

Tests vehicle identification/description:

SMP-R010-0.5-PW SMS-R390-1.0-PW SMT-R560-1.0-PW	U02 U02 T50
SMV-R020-0.5-PW SMV-R022.0.5-PW SMV-1R00-0.5-PW	U12 U06 U06

Detail Specification reference: 4001/027 + 4001/028 Ex: three-digit code year letter T=2025 / U=2026 + week number

Chart F4	Test	Tick when done	Conditions	Date Code	Tested Qty	N° of Rejects	Comments if not performed. Comments on Rejection
Environmental /Mechanical Subgroup	Mounting	☒	IEC 60115-1 clause 4.31	all	6 x 15	0	
	Rapid Change Of Temperature	☒	IEC 60068-2-14	all	6 x 15	0	
	Vibration	☒	IEC 60068-2-6	all	6 x 15	0	
	Climatic test Sequence	☒	ESCC 4001, Para 8.10	all	6 x 15	0	
	Seal Test	☐	IEC 60068-2-17				
	Mounting	☐	IEC 60115-1 clause 4.31				
	Robustness of Terminations	☐	IEC 60068-2-21				
	Climatic test Sequence	☐	ESCC 4001, Para 8.10				
	Seal Test	☐	IEC 60068-2-17				
	Resistance to Soldering Heat	☒	IEC 60068-2-20	all	6 x 6	0	
	Mounting	☒	IEC 60115-1 clause 4.31	all	6 x 6	0	
	Climatic test Sequence	☒	ESCC 4001, Para 8.10	all	6 x 6	0	
	Seal Test	☐	IEC 60068-2-17	-	-	-	
	Mounting	☒	IEC 60115-1 clause 4.31	U12, U06, U06	3 x 15	0	
	Insulation Resistance	☒	ESCC 4001, Para 8.3.1.2	U12, U06, U06	3 x 15	0	
	Voltage Proof	☒	ESCC 4001, Para 8.3.1.3	U12, U06, U06	3 x 15	0	
Endurance Subgroup	Mounting	☒	IEC 60115-1 clause 4.31	all	6 x 15	0	
	Operating Life	☒	ESCC 4001, Para 8.13	all	6 x 15	0	
	Seal Test	☐	IEC 60068-2-17	-	-	-	
Assembly Capability Subgroup	Solderability	☒	IEC 60068-2-20	all	6 x 6	0	
	Permanence of marking	☐	ESCC 24800	-	-	-	
Additional Tests	Operating Life (8000h)	☐	ESCC 4001, Para 8.13				
	Seal Test	☐	IEC 60068-2-17				
	Rapid Change of Temperature	☒	JESD22-A104	U12, U06, U06	3 X 40	0	500 cycles, -55/+150°C, 30 min each

	APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL Component title: RESISTOR, FIXED, CHIP, METAL FOIL BASED ON TYPE SMP-PW, SMS-PW, SMT-PW according to ESCC Det. Spec. 4001/027 and BASED ON TYPE SMR-PW, SMV-PW according to ESCC Det. Spec.4001/028 Executive Member: German Space Agency at DLR Date: 23/07/2026	Page 8 Appl. No. 285 J
NOTES ON THE COMPLETION OF THE APPLICATION FORM FOR ESCC QUALIFICATION EXTENSION APPROVAL		
ENTRIES		
Form heading	shall indicate: - the title of the component as given in its detail specification or the name of the series, family; - the Executive Member; - the entering date; - the certificate number and its sequential suffix.	
Box 1	shall provide details given in the table; in particular there shall be listed: - the variants or range of variants; - the range of components (the ESCC code is recommended to indicate the values or values range, the tolerance, the voltage, etc); the designation given in the detail specification as 'base on'; - under Test Vehicle enter either an ESCC code or the specific characteristic capable of identifying the component tested (e.g., voltage of coil for a relay); - under component similar enter a cross if relevant.	
Box 2; 3 and 4	As per QPL entry; otherwise, an explanation of the changes must be supplied.	
Box 5	Will show the ESCC Generic and Detail specifications, including issue number and revision letter, current at the time the tests reported were performed. If the specifications are different from those current on the date of the application, see Box 6.	
Box 6	Will show the deviations from the Generic and Detail Specifications listed in Box 5, in particular deviations from testing. In case of deviations this must be listed in Box 15. In case the referenced specification in Box 5 have currently a different issue and/or revision indicate also whether the test data deviates or not from such current documents.	
Box 7	Must reference the report(s) supplied in support of the application.	
Box 8	Should provide the details of procurement to the full ESCC System, documentation of all of which should already have been delivered to the ESCC Executive under the terms of the relevant Generic Specification. An appropriate table has been drawn in this box.	
Box 9	If the PID evolved after the Original Qualification or after the last Extension of Qualification, adequate details of such evolution shall be provided together with the reasons for the changes. Major changes shall be clearly marked.	
Box 10	Identify the current PID issue status, date and actual date of verification. The date of verification of the current PID should be arranged as close as possible to the required date of extension.	
Box 11	This box can be completed only after a physical visit to the plant to confirm that no unexplained changes occurred and that the practices, procedures, material, etc. used in manufacturing the components are as described in the PID. This survey shall be carried out in accordance with the requirements of ESCC Basic Specification No. 20200 and its findings shall be recorded.	
Box 12	Provide details of, or reference to, any Destructive Physical Analysis (DPA) and Failure Analysis reports as well as any Nonconformance(s) (NCCS) occurred during the qualification validity period, stating if established corrective action have produced satisfactory results.	
Box 13	Enter only the name of the Executive Member (i.e., CNES, DLR, ESTEC, etc.) and the signature of the responsible Executive Coordinator.	
Box 14	To be used when there is a need to expand any of the boxes from 1 through 12. Identify box affected and reference the Box 14 in the relevant Box. Box 14 can be broken into 14a, 14b, etc. if several boxes have to be expanded.	
Box 15	Fill in Table as requested.	
Box 16	Any additional action deemed necessary by the Executive Member to bring the submitted data to a standard likely to be accepted by the ESCC Executive should be listed herein or the reason(s) to accept the noncompliance.	
Box 17	All Executive Manager recommendations on the application itself, special conditions or restrictions, modifications of the QPL or QML entry, letters to the manufacturer, etc. shall be entered clearly in Box 19, signed by the representative for ESA, and dated.	
Box 18	Fill in Table as requested.	
Box 19	Confidential Details of PID changes including those of a confidential nature, shall be provided.	
Box 20	State noncompliance with reference to specification(s) and paragraph(s). To simplify reference in Box 16 each nonconformance shall be sequentially numbered. If relevant state 'None'.	
Box 21	Any additional action deemed necessary by the Executive Member to bring the submitted data to a standard likely to be accepted by the ESCC Executive should be listed herein or the reason(s) to accept the noncompliance.	
Box 22	Additional Comments.	